

City of Willoughby Hills

Interoffice Memo

Date: Friday, April 12, 2013

To: Council President David Reichelt, Council Clerk Victoria Savage ✓

From: Mayor Robert M. Weger

Subject: Ordinance Request for 2013 Guard Rail Project and
Ordinance Request for 2013 Asphalt & Limestone Project

Please prepare an ordinance for each of the above projects, based on the attached bid summaries.

For the 2013 Guard Rail Project (Project 2013-006), Lake Erie Construction Company, 23 South Norwalk Road, Norwalk, Ohio 44857, was the lowest and best bid at \$34,335.

For the 2013 Asphalt and Limestone Project (Project 2013-005), Osborne Concrete and Stone, One Williams Road, Grand River, Ohio 44045, was the lowest and best bid **for asphalt** at \$59 per ton picked up (\$66 per ton delivered) for ODOT 448 Type 1 Asphalt, \$51 per ton picked up (\$58 per ton delivered) for ODOT 448 Type 2 Asphalt, and \$51 per ton picked up (\$58 per ton delivered) for ODOT 301 Asphalt Concrete Base. The lowest and best price **for limestone** was Ontario Stone Corporation, 1246 River Road, Cleveland, Ohio 44113, at \$15.95 per ton delivered for ODOT 304 Limestone, \$15.95 per ton delivered for ODOT 444 Limestone, \$18.80 per ton delivered for ODOT 57 Limestone, and \$18.80 per ton delivered for ODOT 1&2 Limestone Blend.

Thank you.

cc: Frank Brichacek, Finance Director
Nate Catania, Service Superintendent

City of Willoughby Hills
Bidding Document

LIMESTONE Requirements for 1 (one) year: 2013

Delivered in truck-load quantities, as requested, and unloaded at:

Willoughby Hills Service Garage
35405 Chardon Road
Willoughby Hills, OH 44094

OR OTHER LOCATIONS, AS DIRECTED, WITHIN THE CORPORATE CITY LIMITS.

200 tons	ODOT 304 Limestone	\$ <u>15.95</u>	per ton delivered
500 tons	ODOT 411 Limestone	\$ <u>15.95</u>	per ton delivered
500 tons	ODOT 57 Limestone	\$ <u>18.80</u>	per ton delivered
200 tons	ODOT 1 & 2 Limestone Blend	\$ <u>18.80</u>	per ton delivered

(Tonnage of material is approximate usage – may purchase more or less)

Note: The above items may be bid in total or in part.

On items not bid, please enter "\$ No Bid per ton"

5% bid bond or certified check required.

Ontario Stone Corp.
Company Name

1246 River Rd, Cleveland, Oh 44113
Company Address, City, State & Zip

216-631-1425
Company Phone Number

William Totah
Authorized Signature

WILLIAM TOTAH - SALES MGR
Printed Name & Title

Bid Opening: Friday, March 22, 2013
Noon
Willoughby Hills Council Chambers

City of Willoughby Hills Bidding Document

ASPHALT Requirements for 1 (one) year: 2013

	<u>Picked UP</u>	<u>Delivered, as directed, to locations within corporate city limits</u>
2,000 tons ODOT 448 Type 1 Asphalt Concrete* (Surface Course)	\$ _____ per ton	\$ <u>NO BID</u> per ton
1,000 tons ODOT 448 Type 2 Asphalt Concrete* (Intermediate Course)	\$ _____ per ton	\$ <u>NO BID</u> per ton
500 tons ODOT 301 Asphalt Concrete Base *	\$ _____ per ton	\$ <u>NO BID</u> per ton

(Tonnage of material is approximate usage – may purchase more or less)

*All asphalt cements shall meet AASHTO Provisional Standard MPI or any superseding AASHTO specification for performance graded asphalt cement binder Pg. 64-22. The bituminous mixes shall meet O.D.O.T. Specifications (2008 Edition)

The supplier shall provide documentation and certification to verify the above. The supplier shall also submit with the bid a proposed JMF for each mix.

ODOT 401.20 – "Asphalt Binder Price Adjustment" shall apply to this contract.

Plant Location(s): Provide on separate sheet if needed.

Location of Plant Nearest to Willoughby Hills: _____

Alternate Plant Locations: _____

Note: The above items may be bid in total or in part.

On items not bid, please enter "\$ No Bid per ton"

5% bid bond or certified check required.

Ontario Stone Corp.
Company Name

Company Address, City, State & Zip

Company Phone Number

William Toka Sales MGR.
Authorized Signature Printed Name & Title

Bid Opening: **Friday, March 22, 2013**
noon
Willoughby Hills Council Chambers

PUBLIC NOTICE TO BIDDERS

Sealed bids will be accepted at the Office of the Mayor, City of Willoughby Hills, 35405 Chardon Road, Willoughby Hills, Ohio, 44094, until noon, local time, on Friday, March 22, 2013, for the furnishing of **ASPHALT AND LIMESTONE** in accordance with quantities and specifications on file in Mayor's Office.

Each bid must be accompanied by a bid bond, or a certified check drawn on a solvent bank licensed to do business in the State of Ohio and payable to the City of Willoughby Hills, in an amount equal to 5% of the bid, as a guarantee that, if such bid is accepted, a contract pursuant thereto will be entered into and the performance of it properly secured. Checks will be returned to the unsuccessful bidders after the contract has been awarded and entered into or upon the rejection of all bids. The City reserves the right to reject any and all bids or to waive any informalities.

No bid may be withdrawn for at least sixty (60) days after the bid opening unless a contract is entered into prior to such date.

For publication:

Friday, March 8, 2013

Sunday, March 17, 2013

THE CINCINNATI INSURANCE COMPANY
CINCINNATI, OHIO

Bid Bond

PUBLIC CONTRACTS

KNOW ALL MEN BY THESE PRESENTS, that we Ontario Stone Corporation

as Principal, hereinafter called the Principal, and THE CINCINNATI INSURANCE COMPANY, a corporation duly organized under the laws of the State of Ohio, as Surety, hereinafter called the Surety, are held and firmly bound unto

City of Willoughby Hills
35405 Chardon Road
Willoughby Hills, OH 44094

as Oblige, hereinafter called the Oblige, in the sum of 5% of Total Amount Bid _____ Dollars (\$ _____),

for the payment of which sum well and truly to be made, the said Principal and the said Surety, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the Principal has submitted a bid for

Limestone Requirements

NOW, THEREFORE, if the Oblige shall accept the bid of the Principal within the period specified therein for acceptance (60 days if no period is specified) and the Principal shall enter into a contract with the said Oblige in accordance with the terms of said bid and give bond for the faithful performance thereof within the period specified (30 days if no period is specified); or if the Principal shall, in the case of failure to do so, indemnify the Oblige against any loss the Oblige may suffer directly arising by reason of such failure, not to exceed the penalty of this bond, then this obligation shall be null and void; otherwise to remain in full force and effect.

Signed and sealed this 14th day of March, 2013 .

Ontario Stone Corporation

(Principal) (Seal)
By: William York - Sales Mgr.
(Title)

THE CINCINNATI INSURANCE COMPANY
(Seal)
By: Kelly Beebe
Kelly Beebe Attorney-in-Fact

THE CINCINNATI INSURANCE COMPANY

Fairfield, Ohio

POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That THE CINCINNATI INSURANCE COMPANY, a corporation organized under the laws of the State of Ohio, and having its principal office in the City of Fairfield, Ohio, does hereby constitute and appoint:

Christopher M. Zito; Roy A. Belconis; Linda J. Fowler; Karen Berendsen;
Kelly Beebe; Jacqueline M. Smith and/or Carol Haupt

of Mentor, Ohio its true and lawful Attorney(s)-in-Fact to sign, execute, seal and deliver on its behalf as Surety, and as its act and deed, any and all bonds, policies, undertakings, or other like instruments, as follows:

Any such obligations in the United States, up to
Thirty Million and No/100 Dollars (\$30,000,000.00).

This appointment is made under and by authority of the following resolution passed by the Board of Directors of said Company at a meeting held in the principal office of the Company, a quorum being present and voting, on the 6th day of December, 1958, which resolution is still in effect:

"RESOLVED, that the President or any Vice President be hereby authorized, and empowered to appoint Attorneys-in-Fact of the Company to execute any and all bonds, policies, undertakings, or other like instruments on behalf of the Corporation, and may authorize any officer or any such Attorney-in-Fact to affix the corporate seal, and may with or without cause modify or revoke any such appointment or authority. Any such writings so executed by such Attorneys-in-Fact shall be binding upon the Company as if they had been duly executed and acknowledged by the regularly elected officers of the Company."

This Power of Attorney is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Board of Directors of the Company at a meeting duly called and held on the 7th day of December, 1973.

"RESOLVED, that the signature of the President or a Vice President and the seal of the Company may be affixed by facsimile on any power of attorney granted, and the signature of the Secretary or Assistant Secretary and the seal of the Company may be affixed by facsimile to any certificate of any such power and any such power of certificate bearing such facsimile signature and seal shall be valid and binding on the Company. Any such power so executed and sealed and certified by certificate so executed and sealed shall, with respect to any bond or undertaking to which it is attached, continue to be valid and binding on the Company."

IN WITNESS WHEREOF, THE CINCINNATI INSURANCE COMPANY has caused these presents to be sealed with its corporate seal, duly attested by its Vice President this 10th day of October, 2008.



STATE OF OHIO) SS:
COUNTY OF BUTLER)

THE CINCINNATI INSURANCE COMPANY

Thomas H. Kelly
Vice President

On this 10th day of October, 2008, before me came the above-named Vice President of THE CINCINNATI INSURANCE COMPANY, to me personally known to be the officer described herein, and acknowledged that the seal affixed to the preceding instrument is the corporate seal of said Company and the corporate seal and the signature of the officer were duly affixed and subscribed to said instrument by the authority and direction of said corporation.



Mark J. Huller
MARK J. HULLER, Attorney at Law
NOTARY PUBLIC - STATE OF OHIO
My commission has no expiration date. Section 147.03 O.R.C.

I, the undersigned Secretary or Assistant Secretary of THE CINCINNATI INSURANCE COMPANY, hereby certify that the above is a true and correct copy of the Original Power of Attorney issued by said Company, and do hereby further certify that the said Power of Attorney is still in full force and effect.

GIVEN under my hand and seal of said Company at Fairfield, Ohio,
this 14th day of March, 2013.



Gregory J. Schlemmer
Secretary

Ontario **STONE** Corp.


Northeast Ohio's Largest Distributor of Crushed Limestone Products

MAIN DOCK

Whiskey Island
Cleveland, Ohio 44113
Ph 1-216-631-3645
FAX 1-216-631-1425

TRUCKING

Local and Long Distance,
Tri-Axle, Semi Trailer &
Thru-put Facilities,
Across Four Docks



It All Starts with

Ontario **STONE** *Corp.*

**Feeding the Cement, Ready
Mix, Asphalt, Roadbuilding
and Construction Supply Chain**


"WE'VE GOT THE STONES"

For Quotes And Deliveries Call (216) 631-3645

Photo
Compliments
of
BIT & QUARRY

OHIO AGGREGATE SIZES

AGGREGATES



LIMESTONE

- All Graded Sizes for Asphalt & Concrete
- Base Materials #304, #411, & #617, #310
- Gabain Stone (4x8)
- Rock Channel Protection (#601 types)
- Ice Control - Sand, #9, #8
- White Cedarville Stone
- Concrete Block Aggregates
- Agricultural Limestone

GRAVEL

- Fill Sand & Bankrun
- All Graded Sizes
- Base Materials - #304, #411, #310
- Mason Sand
- Roof Gravel
- Decorative Gravel & Granite
- Oversize Rock

	<u>NO.</u>	<u>AVE. SIZE</u>	<u>USE</u>
	1 & 2	3" - 1"	Base material for heavy traffic - soft condition
	4	1 1/2" - 1/2"	
	57	1" - 3/8"	Driveway topping, pipe bedding and aggregate for asphalt and concrete
	67	3/4" - 1/4"	
	8	3/8" - 1/8"	Tank Backfill - Driveway topping - curb drains - aggregate for concrete, asphalt and chipping
	9	1/4"	
	10	Screenings	Block manufacturing - ice control
	304	2" - 0	Backfill and base material
	411	1" - 0	
			Blend of various Sizes plus 40% fines for compaction

MISC.

- Cinders
- Ball Diamond Clay
- Salt - Highway & Industrial
- Crushed Concrete

SLAG

- All Graded Sizes
- Base Material - #304, #411, #310

SILICA PRODUCTS

- Graded Sizes
- Trap Sand
- Top Dressing
- Filter Sand (EPA Approved)