2016 Annual Report

2017 Plan for Roadwork/Storm Water Projects
Equipment & Vehicle Replacement

Submitted By

Mark Grubiss, Service Superintendent

December 27, 2016

2017
WORK SCHEDULE

Work Schedule for 2017

1. Go around and repair and clean up from all plow damage from winter season.

2. Check all roads for potholes and make all repairs.

3. Continue to keep the work order log up to date.

4. Crack seal all roads. This will be done in two (2) week increments. (This is going to be priority to prevent heaving and cracking this coming winter season.)

5. Work on tree trimming throughout the city. This will be done in one month increments due to the rental of the chipper.

6. Work on ditching throughout the city. This will be done as fast as the work orders come in or depending on project schedule.

7. Repair all sink holes and pot holes from the cold season.

8. Re-roof 3 buildings out back. Shingles are in rough shape and plywood is rotten and needs to be replaced.

9. Work on storm sewer projects throughout the city.
   * Pipe River Road south from RT 6 to the bottom of the hill. Roadway is affected and is washing out.
   * Pleasant Valley Road east of the one-way bridge. Old pipe is in bad shape and is washed out. This is also effecting the roadway.
   * Pleasant Valley Road Dam needs to get attention. It is washing the roadway out as well. I would like to fill the dam up with large concrete pieces to slow down the wash out process. This will help the budget if I can get the concrete for free.

10. Go around City Hall and replace all lights with LED bulbs. This will also be happening in the Police Department. I also want to let you know that with this process we are able to utilize our existing fixtures that are in place now. When this is complete I will be getting a quote for the Community Center. This work will be done by the Service Department. This will also eliminate cost by not having to pay somebody else. There will also be a significant cost savings in the electric bill.

11. This year we have been asked to help out the Baseball League with revamping the fields (i.e., drainage, dirt, regrading). We will be doing this A.S.A.P before we get into our spring schedule. This will allow plenty of time for settlement in the field area. All material will be purchased by the Baseball League (labor, material, fuel).

December 27 2016

Mayor Weger

You have asked me to prepare the annual report for the Service Department. Please find this document attached.

CITY HALL

*Removed all landscaping and timber walls in front of City Hall. Installed new versalock block walls across the front of building. We also regraded and installed the block wall along the parking lot and police drive.

*Started to switch all lights over in the City hall and police department to the new LED Bulbs.

ROAD WORK

*Replaced concrete around 6) catch basins. Also replaced a lot of bad areas in the road itself. This work was done by a contractor on Curtis Write Parkway.

* Milled all speed bumps on RT 6 to help cut down on all the severe bumps. These were west of Rockefeller.

*Resurfaced and installed new curb were missing. State Route 91 from Willoughby to Mayfield Village. (Done by the Shelley Company).

*Resurfaced Worrall road with the assistance of the City of Kirtland.

*Rented chipper and trimmed the entire east side of town to the back of the R.O.W.

* I wanted to let you know that we spread a total of tons of asphalt by hand.

*Milled/filled butt joints on Bishop Road South of White Road at the County Line and the Bridge Locations. Also milled and filled eddy road on the east side of 271 bridge.

*Milled/filled/patched the following streets: East miller , Trabar, eddy road, Dodd road, bishop road, Rogers road Maple view road, Millgate, River road, Eagle hill,

STORM SEWER PROJECTS

*Replaced crossover pipe on Alan drive (County Reimbursement complete)

*Installed (6) new catch basins on River Road south of Route 6. Clean out the 12" Sewer main that was plugged running down the hill causing water to run on to the Roemish Farm Property. Resident is very happy this work was completed. (County Reimbursement complete)

*Replaced the Crossover Pipe on Rogers Road Hill. Also replaced the Catch Basin on the North side that was dilapidated. (County Reimbursement complete)

*Repaired sink hole on Route 91 at the corner of 6 and 91. This was caused by a large section of 12" pipe that had collapsed. (County reimbursement complete).

*Replaced the 12" crossover on Christine drive and route 6. This was a metal galvanized pipe that was rotted causing sink holes in the roadway. Reported by residents. (County reimbursement complete).

*Replaced the 12" crossover pipe on Red Fox Pass. This was a metal pipe that rotted out causing large sink holes in the road. We installed 2) new catch basins also to help out with the drainage. (County reimbursement complete.)

*River Road North 24" Storm sewer. Still needs to be televised when we get the time. However there hasn't been any issues. Both residents that had issues are very happy.

*Rockefeller North of Route 6 installed new 12" storm sewer total of 200'. This job had to be done to help with the erosion of the roadway. (County reimbursement complete)

* Worrell Road sinkhole repair. This was a large section of 24" pipe that had collapsed. (County reimbursement.)

*Installed a total of 140' of 24" storm sewer on Worrell Road. This was for a ditch that was severally eroding away the road. (County reimbursement complete.) This was phase 1.

SANITARY SEWER

*Cleaned 100% of all Sanitary Mains and all pump stations throughout the City.

*Cleaned all pump stations two times this year.

*This Year we had a lot of repairs to the pump stations. One major repair was to the Stark Road Pump stations. We had to bring in buckeye pumps. This was due to a lightning strike that wiped out the computer and caused several issues in the cabinet and the generator. This was also turned in to our insurance. I worked with Gloria Majeski on this issue to see that we were covered on the cost of replacement and time that was put into this. Estimated cost was around $10,000.oo dollars.

*Eddy Road Pump Station #1 .This was also part of the claim from lightning strike. The contactors were fried in the cabinet. This work also had to be done by Buckeye Pumps.

*Eddy Road Pump Station #2 we had lost power to this location several times this year. We brought in our electrician to assist us with this issue. We found out we lost a leg in the power from a rotted connection that was found in a pull box underground. We called C.E.I for their assistance in getting the power shut down. This work was done in house.

*We replaced all the rotted cables for pumps at all Pump Station Locations. We installed Stainless Steel chains. (2 at each location)

WORK ORDER LOG

This report contains our "Work Order Log" which identifies work orders that were called in to the Service Department for resolution. In 2015, there are 326 on the work order log. These represent many

resident calls, as well as calls for work needed on the City Hall and the Community Center grounds. I ensured that all the work orders were put on a spreadsheet for easy access in the event that the resident/City Hall worker can call back for a status. Sharon Michney in our Finance Dept. put it on a shared drive so that this log can be viewed in the Service Department, Building Department, Finance Department and the Mayor's office since the calls normally are handled by all of these Departments. This makes it nice for the resident being able to get a quick answer, rather than leaving messages or not getting back to them. Once the spreadsheet contained all of the work order sheets, I was able to review it and make sure that the work orders get scheduled and completed in a timely manner. This meant visiting many of the locations or following up with the Residents. I believe the work order log is now in great shape and is an excellent reference tool. It brings a true appreciation to the variety of issues and concerns that we handle on a daily basis.

STORM SEWER PROJECTS FOR 2017

***Dodd Road**: Start at the crossover and head east towards the cage. This sewer would consist of 24" HDPE pipe. Remove the 12" that's in there now that cannot handle the amount of water. Also I would like to add a 12" along the north side from Dodd's Landing 200' west to get the water off the edge of the road. The road is crumbling in these areas from not drying out. When done repave the edge of roadway.

***Rockefeller road**; Pipe the remainder of the ditch south of White road approximately 400' with 24" pipe. This ditch is very steep at the edge of the roadway. During leaf season it's also hard to get all the leaves out of the ditch. This pipe now is always clogging due to the way it was terminated.

***Phase 2 of Worrall road**: This project was verbally passed by Tim miller from Lake County to be done in in 2017. This would be piping the remainder of the ditch from phase 1 to Rogers's road. Approx. 400' and eliminating the erosion along the roadway where it's at the edge of the road in some of the area's now.

***Pleasant Valley**: East of the one way bridge. The pipe at this location is in very bad shape. Exposed pipe in various locations also plugged 100%. The water now is causing a lot of debris to be washed onto the roadway. This would be installing approximately 300, of 18" HDPE Pipe along the south side of the road heading up the hill.

ROAD PROJECTS FOR 2017 (1 being good. 10 being the worse) NEEDING PAVEMENT REPLACEMENT

***SOMRACK:** This road is falling apart rapidly from the top of the hill throughout the cull de sac. This road is a (9).

***JENNY LANE**: This road is also in very bad shape. (9)

***BATES LANE**: This road is in disrepair> we did quite a bit of patching this year. This is only a band aid. This road is a (10)

***RED FOX PASS**: This road is also in very bad shape (10). We did a lot of patching on this road also but needs to be replaced.

***KENNELLY**: This road is also in very bad shape (10). We did a lot of patching on this road. It needs to be replaced.

***TRAILARD/GLEN GATE/MAY FRIARS**: (9) These roads are in rough shape. also. These can be a mill and pave.

***ROCKEFELLER ROAD**: This would be from eddy road south to the county line. We have continued to patch this road year after year. The roadway is gatoring really bad where water is getting under it in the winter. A lot of large chunks are popping out.

***GLEN KYLE:** Need to replace a lot of the joints in the road. This will need to be done with concrete not asphalt. I receive a lot of complaints. Asphalt and cold patch is not the answer .It comes right out of the holes as soon as it freezes.

***Oakwood drive**: This Street has a lot of areas that need to be repaired. I receive a lot of complaints about the Street year round. The asphalt pops out after first freeze and plowing. Ther are a lot of walkers on this road.

YARD/CLEAN UP

All extra equipment that is not needed will continue to be surplus as we move forward with the cleanup of the back yard. We have made great strides this past year to get it cleaned up so that we have more room. Also eliminating oil and rust run off of unused equipment and materials just laying around not being used.

Please let me know if you have any other questions when you read my report.

Thank you.

Mark Grubiss, Road Superintendent

2017
WISH LIST

FINANCE DEPARTMENT/MAYOR

2017 WISH LIST

1) NEW 5 TON PLOW TRUCK TO REPLACE TRUCK #3 OR #4
   A. NEW CAB AND CHASSIS APPROX ($110,000)
   B. NEW SNOW AND ICE PACKAGE STAINLESS STEEL APPROX. ($80,000.00).

2) 1 NEW ¾ TON PICK UP TRUCK TO REPLACE THE 2006 F-350 4X4 AND OLD FIRE TRUCK PICK UP
   A. NEW TRUCK 4X4 APPROX. ($50,000.00).

3) NEW INSULATED GARAGE DOORS FOR THE MECHANICS SHOP
   A. NEW DOORS APPROX ($15,000.00) 3 OF THEM WILL BE MANUAL. ONE OF THEM WILL HAVE An OPERATOR/REMOTE.

4) SMALL SANDBLASTING CABINET APPROX. ($2000.00.

5) NEW AIR COMPRESSOR 175PSI 90 GALLON TANK TO REPLACE 15 YEAR OLD COMPRESSOR ($2500.00).

6) SCAN TOOL FOR MECHANIC FOR DIAGNOSEING VEHICLE PROBLEMS
   A. SCAN TOOL COMPUTERIZED ($10,000.00).

7) 2 NEW CHAINSAWS @ ($600.00 EACH)

8) 2 HAND BLOWERS @($200.00 EACH)

9) TRAILER FOR ONE TON CAPABLE OF HAULING 8500 LBS APPROX ($10,000.00)

10) NEW 72" RIDING ZERO TURN MOWER TO REPLACE THE 2002 SCAG. ($12,000.00)

11) NEW SEWER/VAC TRUCK TO REPLACE THE ONE WE HAVE THE TOTAL COST ($470,000.00).

12) NEW LEAF MACHINE OURS IS 20 YEARS OLD. MAYBE WE CAN PURCHASE FROM THE CITY OF EASTLAKE. THIS COULD BE A GOOD SAVINGS FOR US. (NEW LEAF MACHINE ($40,000.00).

13) EXCAVATOR CAT 308.5 WITH ALL ATTACHMENTS. STATE BID ($103,000.00)

2016
WORK ORDERS

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
1/6/2016		ANIMAL	2016-001	1/6/2016			2830 TRABAR		DEAD CAT	REMOVED!!!
2/2/2016		SINKHOLE	2016-002	1/6/2016		ANN	2560 DODD ROAD	20376-926-4790	SINK HOLE AT END OF DRIVEWAY AND BEGINNING OF ROADWAY 01/09/2016 @ 2:38 pm RESIDENT CALLED TO SEE IF THIS HAS BEED LOOKED AT YET AND WOULD LIKE FOR SOMEONE TO CALL HER. THANK YOU	I CALLED ANN AT 12:15 TODAY 1/11/2016 I LET HER KNOW THAT SOMETHING WILL BE DONE TO HER HOLE.IT CAN BE FILLED BUT WE NEED TO INVESTAGATE WHY ITS SO BIG AND DEEP. THIS IS AT THE END OF THE DRIVWAY.2/1/2016 SINK HOLE WAS REPAIRED FOUND ALL PIE TO BE IN ROUGH SHAPE. I MADE THE DESISION TO REMOVE A TOTAL OF 112' OF PIPE DO TO THE AMOUNT OF SINK HOLES ACROO THE FRONT OF THE YARD.I ALSO CALLED TIM MILLER AND HE AGREED THAT THIS WAS A EMERGENCY AND WOULD REIMBURSE US FOR MATERIAL AND TIME.
1/6/2016		ANIMAL	2016-003	1/6/2016			3047 ROCKEFELLER		DEAD ANIMAL	REMOVED!!!
1/7/2016		ANIMAL	2016-004	1/7/2016			ROCKEFELLER ROAD		DEAD ANIMAL RIGHT HAND SHOULDER OF ROCKEFELLER ROAD BEFORE GATSBY GOING SOUTH	REMOVED!!!
1/11/2016		ANIMAL	2016-005	1/11/2016		POLICE DISPATCH	38390 ROGERS ROAD		DEAD DEER IN POND	REMOVED!!!!
1/11/2016		MB	2016-006	1/11/2016			3040 ROCKEFELLER ROAD		MAILBOX KNOCKED DOWN BY SNOWPLOW	INSTALLED NEW POST AND REINSTALLED THE NEW MAILBOX
1/15/2016		MB	2016-007	1/12/2016	2:42 PM	MR. DUNHAM	36680 ROGERS ROAD	440-646-4993	MAILBOX WAS KNOCKED DOWN BY SNOWPLOW. NEEDS TO BE REPLACED.	REBUILT MAILBOX AND REINSTALLED IT
1/17/2016		MB	2016-008	1/13/2016	10:10 AM	LARRY MYERS	2973 ROCKEFELLER	EMAILED	MAILBOX WAS KNOCKED DOWN BY SNOWPLOW. NEEDS TO BE REPLACED.	MAILBOX WAS BROUGHT BACK TO THE SHOP AND REBUILT . THIS MAILBOX WAS OUT OF COMPLIANCE NOT SET BACK FAR ENOUGH OFF THE ROAD .
1/17/2016		MB	2016-009	1/13/2016	12:45 PM	BRITT RABURN	38455 CHARDON RD	(440) 942-1018	MAILBOX KNOCKED DOWN	SM CALLED MG - KR ALREADY PUT A TEMP BOX UP - ORIGINAL WAS PRETTY BANGED UP - WE WILL REPAIR AND RETURN AT NO COST TO RESIDENT. SM CALLED RESIDENT TO LET HIM KNOW.MAILBOX WAS FIXED WAS REPAIRED AND REPLACED
1/26/2016		MB	2016-010	1/13/2016	3:30PM	FRED DUGACH	2895 HEMLOCK	440-316-1458	MAILBOX KNOCKED DOWN-BOARD CRACKED/BOX SOMEWHAT BACK UP	WE DON'T EVN PLOW THIS STREET BUT WE ASSISTED IN THE REPAIR.
1/15/2016		MB	2016-011	1/14/2016	9:00 AM	OLIVO	31101 DIANE COURT	440-785-5115	SNOWPLOW BLOCKED HER MAILBOX, RESIDENT CAN NOT GET HER MAIL.	FIXED MAILBOX AND REATTACHED TO THE POST.
1/20/2016		MB	2016-012	1/18/2016	8:58 AM	JOAN MATUZA	28752 CHARDON ROAD		MAILBOX KNOCKED DOWN BY SNOW PLOW, MAILBOX IS ON FRONT PORCH	REMOUNTED THE BASE TO THE POST.
1/20/2016		MB	2016-013	1/20/2016	2:05 PM	ISLA AMANTEA	2400 TRAILARD	20376-409-7366	MAILBOX KNOCKED DOWN BY SNOW PLOW	RESIDENT LOOKS LIKE THEY MADE THE REPAIR COULDN'T FIND ANYTHING WRONG WITH IT
1/28/2016		LIGHT	2016-014	1/20/2016			ROCKEFELLER AND EDDY		STREET LIGHT OUT	LIGHT HAS BEEN REPAIRED BY CEI

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
1/25/2016		ANIMAL	2016-015	1/25/2016	12:25 pm		2918 OAK STREET	440-915-3431	DEAD FOX IN BACK YARD BY FENCE AND PROPERTY LINE.	
4/18/2015		CLEAN	2016-016	1/26/2015	7;42PM	PAILA TUNG	33880 ROSEWOOD TRAIL	440-488-4509	CITY PLOW DID DAMAGE TO HER FRONT YARD. LARGE PORTION 06/10/2016 RESIDENT CALLED AND SAID THAT SHE STILL HAS PATCHES THAT NEED TO BE FIXED.	THIS WILL BE FIXED IN THE SPRING . ITALKED TO HER AND LET HER KNOW WE WILL REPAIR PROPERTY 100% FROM OUR TRUCK GOING OFF THE ROAD DURING THE 3DAY STORM. WE DI RUN OVER DURING THE THAWCLEANED UPTHE SALT AND FLATTENED OUT THE DAMAGE WILL NEED TO RESEED IN THE SPRING!
2/2/2016		ANIMAL	2016-017	2/2/2016	11:54 AM		2909 BISHOP ROAD		DEAD ANIMAL	POSSUM REMOVED
2/3/2016		ANIMAL	2016-018	2/3/2016	12:15	BARB YASINOW		(20376) 346-6428	TWO DEAD ANIMALS - BOTH ON SOUTH SIDE OF CHARDON. ONE AT FOWLER, THE OTHER BY SCOOPY DOOS	SM CALLED MG. BOTH ANIMALS REMOVED BY BOB MOORE.
		CLEAN	2016-019	2/5/2016	2:30 PM	TERRY MORMILE	2609 DODD ROAD	440-915-9309	YARD FLOODS, NATE SPOKE WITH RESIDENT A WHILE AGO AND SUGGESTED A DRIVEWAY CULVERT BE PUT IN. SAID THAT THE CITY PUT IN SOME KIND OF A GRATE ACROSS THE STREET AND NOW THE WATER FLOWS ON TO HIS PROPERTY WHEN EVER IT RAINS. MARK CAN YOU PLEASE CALL RESIDENT ON MONDAY. THANK YOU	
5/26/2016		DITCH	2016-020	2/11/2016	2:37 PM	BARBARA HENRY	2795 STARK DRIVE		CLEAN OUT CULVERT AND LOOK AT STRAIGHTENING THE PIPE	REMOVED ALL ROCKS/STONE FROM THE DITCH.THE DITCH IS OK NO NEED TO DITCH
1/20/2016		TREE	2016-02037	1/18/2016		RONALD THOMAS ARTINO	2759 HANNA DRIVE		DEAD ELM TREES ACROSS THE STREET FROM HIM	LOOKED AT THESE TREES THEY ARE BIG DEAD ELMS THAT NEED TO BE REMOVED. ONE OF THEM IS OUT SIDE THE R.O.W. ON 1/2037/2016 I MET THE MAINTENANCE MAN FOR THE GOLF COURSE I TOLD HIM I HAD NO CHOICE TO CUT THE TREES DOWN .THEY WERE A HAZARD TO THE PUBLIC AND THE ROADWAY. WE WOULD CLEAN OURS UP THEY WILL TAKE CARE OF THEIRS. BOTH TREES WERE CUT DOWN TODAY.
		TREE	2016-022	1/18/2016		ANGELA MASTROBERTI	2360 RIVER ROAD		LOOK AT BRUSH AND TREES/DEAD BRUSH SOUTH OF HER PROPERTY TO SEE IF WE CAN REMOVE IT	LOOKED AT THIS THE TREES AND BRUSH IN QUESTION ARE OUTSIDE THE R.O.W AND NEED TO BE REMOVED THE PROPERTY OWNER. I WILL TRY AND CATCH THEM WHEN THEY ARE HOME.
		TREE	2016-023	1/18/2016		RANDY NORTHRUP	33483 WHITE ROAD	440-943-5929	LOOK AT THE DEAD TREES LEANING TOWARDS HIS PROPERTY CAUSED BY "EROSION" OR FIX THE EROSION PROBLEM.	
2/19/2016		MISC	2016-024	1/18/2016		WAYNE & ANGELA LINEK	2958 ROCKEFELLER ROAD		TWO ISSUES POT HOLES IN FRONT OF THERE HOUSE. SECOND LOOK AT THE ELECTRICAL BOX ON THE FRONT POLE IT IS ALWAYS HUMMING. SEE IF WE CAN DO ANYTHING ABOUT IT.	POTHOLE WAS FILLED BY BOB MOORE!!
1/17/2016		MB	2016-025	1/17/2016		CATHY JONES/CHING	2222 River Road		CANT FIND MAILBOX	WENT OUT TO THE RESIDENTS HOUSE .MAILBOX WAS KNOCKED DOWN WE DID FIND IT AND PUT IT BACK ONTO THE POST JUST KNOCKED OFF BY HEAVY SNOW
1/18/2016		BLDG	2016-026	1/18/2016		KYLE COMM.CTR	CHARDON ROAD	440-975-3540	LIGHT FIXTURE ABOVE THE TREADMILL NOT WORKING AFTER NEW BULBS WERE INSTALLED	KENNY REPLACE D THE BALLAST.WORKING NOW
1/18/2016		BLDG	2016-027	1/3/2016		POLICE DEPARTMENT	CHARDON ROAD		CHIEF SAYS MANY DOOR STOP ARE OUT OF COMMISION	WE REPLACED WHAT WE FOUND BAD. TOTAL OF 8
		DITCH	2016-028	10/20/2015		FRANK PINZARRONI	29275 EDDY ROAD		REMOVE ERODED SOIL FROM STREAM BED PLACE ALL MATERIAL AT TOP OF STREAM BANK	THIS DITCH WAS TO BE COMPLETED WHEN THE K,NECHT OBRIEN PROJECT WAS COMPLETE.DO TO OUR LEAF SCHEDULE AND SHORT ON MANPOWER. THIS WILL BE COMPLETE THIS SPRING OF 2016.

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
1/19/2016		MISC	2016-029	2/8/2016		BELLISIMO FAMILY	2674 RIVER ROAD		THERE ARE 4 PAIRS OFG TENNIS SHOES HANGING FROM THE TELEPHONE LINES CAN WE REMOVE THEM	WE WENT THE RESIDENTS HOUSE WITH A LONG FIBERGLASS POLE AND WE ABLE TO REMOVE THE SHOES.
2/22/2016		ANIMAL	2016-030	2/22/2016		VOICE MAIL	29345 WHITE ROAD		DEAD GOOSE BY MAILBOX	REMOVED BY CARL
2/23/2016			2016-031	2/23/2016		PIDHIRNY	2826 ORCHARD	440-944-0179	NEIGHBORS MAILBOX AT 2824 IS SET BACK CAUSING A RUT IN THE ROAD FROM THE MAIL TRUCK, CAN WE TAKE A LOOK AT THIS	BOB MOORE FILLED THE HOLE WITH GRINDINGS
2/24/2016		DITCH	2016-032	2/24/2016		MARK WAGNER	34505 PARKVIEW	840-9361	CULVERT IS BLOCKED CAUSING FLOODING	CLEANED ALL LEAVES AND DEBRI FROM CULVERT ITS NOW FLOWING
2/24/2016		MISC	2016-033	2/24/2016	9:10 AM				ROGERS RD RESIDENT CALLED TO SAY THERE IS FLOODING ON ROGERS RD BY HEMLOCK	SM CALLED MG - MG TOLD BOB M. TO GO LOOK AT WE LOOKED AT THIS AREA IT WAS A LOT OF RAIN PIPE IS SMALL CROSSING UNDER THE ROAD . THIS CAN BE INCREASED.
2/24/2016			2016-034	2/24/2016		Elizabeth Fanara	2908 EMERALD LAKES	440-833-4149	YARD IS FLOODING, DITCH NEEDS TO BE CLEANED OUT.	NOT MUCH OF A DITCH AND IT IS CLEAN. HOWEVER THE YARD HAS A LOT OF STANDING WATER WHICH IS HER ISSUE PAST THE BACK OF THE R.O.W
2/25/2016			2016-035	2/24/2016	11:01 AM	IRENE GREEN	2500 MAPLEVIEW	440-951-7176	YARD IS FLOODED, RESIDENT SAYS WORKERS WHERE DOING WORK TWO HOUSES DOWN AND DOES NOT KNOW IF THE FLOODING IS FROM THAT. CAN WE PLEASE CHECK CULVERT PIPE.	LOOKED AT THIS . THESE APPEAR TO BE LOW AREAS IN THE YARD THAT CANNOT MAKE IT TO THE DITCH. ALSO OUTSIDE THE R.O.W
2/25/2016			2016-036	2/25/2016	10:33 AM	DOUG MCLAUGHLIN	38033 DODDS HILL DRIVE	20376-704-7254	STORM SEWER AT THE END OF THE STREET AT BOTTOM OF CUL DE SAC IS BACKED UP AND FLOODING CAUSING A POND.	CATCH BASIN WAS FULL OF STICKS AND A LOT OF LEAVES. BOB MOORE REMOVED ALL DEBRI AND THE DRAIN IS NOW FLOWING
2/26/2016		ANIMAL	2016-037	2/26/2016	10:00 AM	GLORIA EFFINGER	3040 ROCKEFELLER ROAD	20376-544-5052	DEAD CAT ON HER APRON/CURB	YELLOW CAT WAS REMOVED. THIS CAT DID HAVE A GREEN COLLAR
4/1/2016		CLEAN	2016-038	3/1/2016	1:00 PM	GLORIA SERTIC	2485 PALMER	440-951-5329	LAWN DAMAGED BY OUR SNOW PLOWS WOULD LIKE TREE LAWN CLEANED UP AS SOON AS POSSIBLE. 03/14/2016 RESIDENT CALLED BACK AND WOULD LIKE TO KNOW WHEN WE WILL BE OUT TO FIX HER YARD.	PLOW DAMAGE WAS REPAIRED AND SEEDED.
3/4/2016		PAVE/PATCH	2016-039	3/4/2016	8:20 AM	TONY DELANEY	38445 BERKSHIRE HILLS	440-510-8684	POT HOLE ON RIVER BETWEEN RT 84 AND MAPLE GROVE. SHE WAS HEADING SOUTH. SHE CLAIMS THE POT HOLE IS SO BAD SHE HAD TO GET TWO NEW TIRES.	PER MARK, JEFF AND BOB REPAIRED HOLE. MARK CALLED RESIDENT.
3/9/2016		PAVE/PATCH	2016-040	3/7/2016	9:45 AM	GILBERT LYON	38455 BERKSHIRE HILLS DR	440-942-6505	HUGE POTHOLE IN FRONT OF 38450 BERKSHIRE HILLS DR	MATT KAHLEY PATCHED THE HOLE.
3/8/2016		MISC	2016-041	3/7/2016	11:00 AM	MARY JO PULLELLA		440-943-1720	PLEASE PUT NETS UP IN TENNIS COURTS.	KENNY/MARK
3/9/2016	ASAP	LIGHT	2016-042	3/8/2016	1:10 PM	CAROL	CORNERSTONE	440-943-9260	SCHOOL LIGHTS COME ON / GO OFF AN HOUR EARLY	SM RESET ON WEBSITE. MG CHECKED LIGHTS - STILL NOT WORKING. SM RESET ON WEBSITE AGAIN. 3/9/16 MG CHECKED TO SEE IF LIGHTS WERE ON FOR 7AM - 9AM CYCLE YES!; MG CHECKED AGAIN FOR THE 2-4 CYCLE - YES! FLASHING LIGHTS ARE NOW ON CORRECT SCHEDULE

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
3/7/2016		STW	2016-043	3/7/2016		MARK KENT	33905 ROSEWOODTRAIL	20376-956-9334	RESIDENTS STATES HE HAS DRAINAGE ISSUES IN HIS BACK YARD	ON 3/8/2016 I TALK TO MARK AND TOLD HIM THAT THE BACKYARD SEWER WAS PUT IN YEARS AGO. THE CITY IS NOT RESPONSEABLE FOR THE SEWER. WE DO NOT HAVE A EASMENT TO GET TO THE SEWER. I ALSO HAVE DIRECTED HIM TO FILL IN AROUND HIS HOUSE. ITS LOW AND WATER IS RUNNING TOWARD THE HOUSE. I ALSO HAVE DIRECTED HIM TO DISCONNECT HIS DOWN SPOUTS AND SUMP PUMP FROM THE SEWER. THEY SHOULD NOT HAVE BEEN CONNECTED.THIS RESIDENCE TRANSFORD ITNO HIS NAME ON 11/14/2015. DAVID SKERKOSKI HAD THE SAME ISSUES WHEN HE OWNED THE HOUSE AND HAD ALFERII OUT TO LOOK AT IT ALSO.
3/7/2016		PAVE/PATCH	2016-044	3/7/2016	9:00 AM	RESIDENT	357711 MAPLEGROVE		POTHOLE STARTING IN THE ROAD NEEDS TO BE FILLED.	MATT TOOK HOTBOX TO THE RESIDENTS HOUSE AND PATHED HOLE.
4/14/2016		SINKHOLE	2016-045	3/9/2016	1:00 PM	Vidrick	2795 OAK STREET	440-944-9536	SINKHOLE IN FRONT YARD ABOUT 20 FEET FROM NORTH PROPERTY LINE, BY ROADWAY 04/04/2016 RESIDENT CALLED AND SAID THAT WE WERE OUT AND PUT OUT ORANGE CONES A FEW WEEKS AGO AND HAVE NOT BEEN BACK, SHE IS WONDERING WHAT IS GOING ON AND WHEN WE WILL BE BACK OUT TO FIX THE PROBLEM	4/11/16 RESIDENT CALLED - SHE IS STILL WAITING FOR US TO GET BACK TO HER ON THE CONES, BUT NOW THERE ARE MARKERS - SHE WANTS TO KNOW WHAT IS GOING ON. ON 4/14/16 I CALLED THE RESIDENT AND LET THEM KNPOW WE ARE WORKING ON GETTING OVER THERE AS SOON AS WE CAN TO MAKE THE NESESARY REPAIRS.
3/10/2016		ANIMAL	2016-046	3/10/2016	11:02 AM	KIM	28007 WHITE ROAD	440-944-0295	DEAD DEER ON NEIGHBORS PROPERTY, IF YOU ARE FACING THE HOUSE IT IS IN THE BACK YARD TO THE RIGHT IN BACK YARD	
5/3/2016		STW	2016-047	3/14/2016		KIRK ENGELBACH	36001 MAPLEGROVE	440-840-3649	RESIENT CAME IN AND SAID THAT HE HAS A STORM WATER PROBLEM IN HIS YARD. WOULD LIKE FOR YOU TO GO AND LOOK AT IT. 03/2037/2016 RESIDENT STOPPED IN TO SEE IF YOU HAVE HAD A CHANCE TO LOOK AT THIS YET. HE SAID THAT HE JUST WANTED TO FOLLOW UP. 05/02/2016 RESIDENT STOPPED IN AND SAID THAT HE PAID FOR A PLUMBER TO COME OUT AND LOOK AT THIS PROBLEM, WITH THE RAIN THAT WE HAVE HAD IT IS GETTING WORSE. PLEASE CALL RESIDENT.	MET WITH THE RESIDENT TODAY AT THE RESIDENTS HOUSE. WE WALKED THE BACK YARD TO LOOK AT THE WATER PROBLEM. THIS IS A PRIVATE LINE THAT APPEARS TO BE BLOCKED AND IS NOT THE CITYS RESPONSIBILITY. THIS IS ON PRIVATE PROPERTY. I TOLD HIM TO GET WITH THE SURROUNDING NEIGHBORS AND COME UP WITH A PLAN TO GET IT CLEANED OUT. ITS EFFECTING ALL THE NEIGHBORS NOT JUST HIM. HE SAID HE WILL DO THAT. THE PROBLEM IS NOT ON HIS PROPERTY.
3/15/2016			2016-048	3/15/2016		Joe Ciresi	2867 Fowler Drive	20376-276-252037	RESIDENT STOPPED IN AND SAID THAT HE WAS HERE ABOUT A MONTH AGO REGUARDING WATER IN HIS BASEMENT, HE STOPPED IN TO SEE IF ANYTHING WAS DONE. RESIDENT IS NOT SURE WHERE IT IS COMING FROM. HE ALSO SAID THAT HIS CULVERT WAS FILLING WITH WATER, MARTY WENT AND LOOKED AT THE CULVERT AND THERE WAS A RAILROAD TIE IN THE CULVERT. AS FAR AS THE WATER IN THE ASEMENT NOTSURE WHY ITS GOING ON.	
4/18/2016		CLEAN	2016-049	3/16/2016	2:13 PM	MARIE SIGGINS	2345 RIVERS EDGE	440-942-3611	SNOWPLOW DAMAGE NEEDS TO BE FIXED, SHE IS AFRAID THAT HER HUSBAND WHO HAS A HEART CONDITION WILL GET IMPATION AND TRY TO FIX IT HIMSELF. I INFORMED RESIDENT THAT WE NEED TO WAIT FOR THE GROUND TO DRY UP SOME AND WHEN WE ARE ABLE TO GET TOP SOIL FROM DEMILTA THAT WE WILLBE OVER TO FIX IT. PLEASE CALL RESIDENT TO LET HER KNOW WHEN WE ARE GETTING CLOSE TO REPAIRING LAWN	4/14/16 RESIDENT CALLED AGAIN - WANTS TO KNOW WHEN IT WILL BE DONE - VERY IRATE. SM TOLD HER SHE WOULD HAVE MG RETURN HER CALL. I ALSO TALKED TO THE RESIDENT AND TOLD HER AS SOON AS I CAN TOP SOIL WE WILL FIX THE DAMAGE. 4/18/2016 WE REPAIRED THE DAMGE WITH THE BEST TOPSOIL AND SEED IN THE WORLD.
3/17/2016		SAN	2016-050	3/17/2016	4:00 PM	FRANK KOJOVSEK	31061 MEADOWBROOK	440-679-4119	DRAINS BACKING UP IN BASEMENT	SM CALLED MG - MG WENT TO RESIDENCE TO LOOK AT ISSUE; MG DETERMINED THAT IT IS THE RESIDENT'S RESPONSIBILITY
4/1/2016		TREE	2016-051	3/18/2016	4:00 PM	NADINE ALHINDY	2872 CARDINAL	440-289-3506	THERE ARE DEAD TREES SURROUNDING HER PROPERTY, BUT SHE IS NOT SURE WHO IS RESPONSIBLE FOR THEM	I CALLED THE RESIDENT BACK AND EXPLAINED TO HER THIS WAS A PRIVATE DRIVE. WE DON'T DO ANY WORK IN THE DRIVE. THE TREES IN QUESTION ARE IN THE NEIGHBORS BACK YARD ON PRIVATE PROPERTY. I TOLD HER TO ASK HER NEIGHBOR TO TAKE THEM DOWN AND IF SHE HAD ANY ISSUES TO CALL ME BACK.

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
3/20/2016		STW	2016-052	3/2037/2016		HELEN MISHECK	2400 SOMRACK		PUDDLES IN THE STREETS, RESIDENT STATED THAT LAST TIME THIS HAPPENED A COUPLE OF YEARS AGO THERE WAS A LEAK IN THE UTILITY BOX ON THE STREET	CALLED WATER DEPT TO TAKE A LOOK AT THIS LOOKS LIKE SLOW LEAK
3/22/2016		STW	2016-053	3/22/2016	4:00 PM	BOB	SOMRACK		LEAK (MAIN BREAK???) BY CUL-DE-SAC ON SOMRACK	CALLED WATER DEPT TO LOOK AT THIS. LOOKS LIKE A SLOW LEAK
3/30/2016		MB	2016-054	3/24/2016	3:52 PM	Mr. Jain	2765 Loreto	440-942-4369	MAILBOX KNOCKED DAMAGED BY SNOWPLOW. RESIDENT HAS BEEN OUT OF TOWN AND JUST RETURNED TODAY AND NOTICED IT.	UPON ARRIVAL MAIL BOX WAS LEANINGDOWN. POST WAS PLUMB IT APPEARS THE MAIL BOX WAS STRUCK BY A CAR NOT A PLOW TRUCK. THERE WAS MIRROR GLASS ALL OVER THE GROUND AROUND THE MAILBOX. RESIDENT CAME OUT AND KENNY SPOKE WITH HIM AND TOLD HIM THE POST IS ROTTED AND NEEDS TO BE REOLACED. THE MAILBOX IS ALSO TO CLOSE TO THE ROAD. WE PUT SCREWS IN IT FOR NOW TO FIX IT.
3/28/2016		DITCH	2016-055	3/28/2016	9:27 AM	MR. GILLARD	34002 MARCUM	4402-943-3056	NEIGHBORS DITCH NEEDS TO BE CLEANED OUT. IT IS CAUSING WATER TO BACK UP. NEIGHBORS ADDRESS IS 34202 MARCUM	REMOVED LEAVES FROM DITCH!!
3/28/2016		DITCH	2016-056	3/28/2016		JOE	2901 EMERALD LAKES	440-944-6440	DITCH NEEDS TO BE CLEANED OUT, IT IS CLOGGED AND HOLDING WATER	REMOVED LEAVES FROM DITCH!!
4/1/2016		DITCH	2016-066	3/28/2016		KURT	29006 EDDY ROAD	440-944-9747	DITCH ON ORCHARD ROAD SIDE OF PROPERTY IS FULL OF LEAVES AND NEEDS TO BE CLEANED OUT	DITCHED ORCHARD TO EDDY ROAD!! 80'
4/1/2016		SINKHOLE	2016-067	3/29/2016	3:23 PM	Barbara Weir	2799 ROCKEFELLER	440-944-0068	SINKHOLE BY FRONT CATCH BASIN EAST SIDE, NEXT TO DRIVEWAY, RESIDENT CALLED AND REPORTED THIS BACK ON MARKCH 4, 2014 AND SAID THAT WE WERE OUT TO REPAIR IT AND NOW ITS HAPPENING AGAIN.	DUG UP SINK HOLE BY HAND . DRAIN TILE IS IN UPSIDE DOWN CAUSING THE DIRT TO WASH IN THE PIPE CAUSING SINKHOLE. PIPE IS ONLY 8 TO 10" DEEP WE FILLED IT WITH STONE.
4/18/2016		DITCH	2016-068	4/4/2016	1:05 pm	MINDY MANNION	2454 GLENGATE	20376-387-3546	DITCH NEEDS TO BE CLEANED OUT, SHE SAID THAT ALL THE DITCHES ON BOTH SIDES OF GLENGATE NEED TO BE DONE.	TREE IN MIDDLE OF DITCH NEEDS TO BE GROUND OUT ALITTLE BIT ITS BLOCKING THE FLOW. WE WILL DITCH IT AS SOON AS THE TREE STUMP IS GROUND. DITCHING WAS COMPLETE TO THE TREE. THE TREE IS VERY HEALTHY AND LARGE. WE DUG AROUND IT THE BEST WE COULD.
4/8/2016		MISC	2016-069	4/6/2016	4:00 PM	SOVEY	35355 DIXON	440-918-1798	NEEDS THE BLUE REPUBLIC SVCS TRASH BIN	BROUGHT CAN OUT TO THE RESIDENTS HOUSE
4/7/2016		PAVE/PATCH	2016-070	4/7/2016	11:30 PM				POT HOLES ON BISHOP, SOUTH OF WHITE	MG TOLD MATT K. TO FILL IN POTHOLES; MATT AND CARL PUT UPM IN THE POTHOLES - COMPLETE
4/19/206		TREE	2016-071	4/7/2016	11:45 PM	PAULETTE RABURN	38455 CHARDON RD	440-942-1018	TREES WERE TRIMMED ON HER TREELAWN, BUT WERE NOT CLEANED UP	MG WILL GET NAME/NUMBER FOR HER TO CALL; 4/14/16 RESIDENT STOPPED BY CITY HALL - SHE HAS NOT HAD A PHONE CALL FROM US YET. ON 4/19/2016 ALL BRUSH WAS REMOVED FROM THE LAWN AREA!!
4/19/2016		SINKHOLE	2016-072	4/8/2016	9:13 AM	JOHN SRSEN	2735 MORNING STAR	440-463-8402	RESIDENT STOPPED IN TO REPORT A SINKHOLE BY DRIVEWAY BY STORM SEWER.	MET RESIDENT ON SITE . WE OPENED THE MANHOLE AND ITS INPERFECT SHAPE NO SIGN OF INFILTRATION THAT WOULD CAUSE A SINKHOLE. HE DID AGREE WITH ME. I DID TELL HIM IT LOOKS LIKE SOMEBODY IS SHORT CUTTING THE DRIVEWAY AND PACKING IT DOWN SO FILL IT BACK UP.
4/20/2016		CLEAN	2016-073	4/8/2016	?	MARK MUELLER	2946 MILL GATE	440-946-3454	SPRING CLEAN UP, SNOWPLOW DAMAGE AROUND CORNER TO VALLEYBROOK	REPAIR DAMAGE TOPSOIL AND RESEED.
4/22/2016		MB	2016-074	4/11/2016	1:55 pm	JIM FRANKS	3026 ROCKEFELLER		MAILBOX DOWN PER EMAIL FROM GLORIA	MAILBOX WAS REPAIED AND REINSTALLED

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
4/16/2016		MISC	2016-075	4/12/2016	12:40 PM	ERIC RICHARDS	38760 DODDS LANDING (CORRECTION)	440-951-3762	RESIDENT WANTS TO SWITCH FROM YELLOW BAGS TO CONTRACT. NEEDS THE BLUE REPUBLIC SVCS TRASH BIN.	SM CALLED MG TO SEE IF WE HAD ANY BLUE CANS ON SITE. YES WE DO. MG WILL DELIVER TO RESIDENT. SM WILL CONTACT REPUBLIC SERVICES TO CHANGE RESIDENT FROM YELLOW BAG TO CONTRACT. SM TOLD RESIDENT TO MAIL A COPY OF HIS OHIO BUCKEYE CARD SO THAT HE GETS THE SENIOR DISCOUNT. 4/18/16 RESIDENT CALLED (GLORIA TOOK CALL) - HE HAS NOT RECEIVED HIS BLUE CAN YET. CAN WE DELIVER?? THANKS!
4/20/2016			2016-076	4/13/2016	9:19 AM	JUDY TUMMINO	30401 KRISTEN COURT	440-944-8069	RUTS IN HER YARD FROM SNOWPLOW, SHE IS ON A CORNER LOT AND THE RUTS ARE ON BOTH SIDES OF HER PROPERTY.	ALL GRAS DAMAGE WAS REPAIRED.
5/25/2016			2016-077	4/13/2016			MILLER AND ALAN		POT HOLE IN STREET 10" X 10" AND 3 FEET DEEP!!!!	WAITING ON TIM MILLER!! TO APPROVE. THIS JOB WAS APPROVED ON MAY 20,2016. AS OF 5/25/2016 THIS JOB WILL BE COMPLETE ALL PIPE WAS INSTALLED. RESTORATION WILL ALOS BE CLEANED UP
4/26/2016			2016-078	4/19/2019	10:01 Am	Daiber, Diane	30100 Kristin	440-476-1762	RESIDENT CALLED IN AND SAID THAT THE SNOWPLOW HAS DAMAGED HER "SEWER STACK" SHE SAID IT'S THE BIG ROUND SEWER MANHOLE COVER AT THE END OF HER PROPERTY	THIS IS A SANITARY MANHOLE THAT A PLOW HIT. WE TOOK IT OFF AND RESET IT. RESIDENT ALSO SAID SHE HAD TO PAY HER LANDSCAPER A ADDITIONAL $40.00 TO CLEAN UP AROUND IT EARLIER IN THE SPRING .SHE WANTED TO SEND US THE BILL I TOLD HER SHE WOULD NOT BE REIMBURSED BECAUSE WE HAD TO HAVE THE OPTION TO CLEAN IT UP IF SHE WOULD HAVE CALLED US FIRST. SHE NEVER CALLED ME.
4/19/2016			2016-079	4/19/2016	12:59 PM	Brickman, David C.	35260 Dixon	440-953-0505	WOULD LIKE FOR YOU TO COME OUT AND LOOK AT THE DRAINAGE PROBLEM HE HAS IN HIS BACK YARD. HE STATED THAT HE IS THE LOWEST IN THE NEIGHBORHOOD AND HAS A LOT OF SURFACE DRAINAGE PROBLEMS. RESIDENT WOULD LIKE FOR YOU TO CALL HIM BEFORE YOU COME OUT.	LOOKED AT THIS WE HAD A LOT OF RAIN. ALSO THE PARK EILL DREDGE THE POND IN THE PARK THIS YEAR WHICH IS PART OF THE PROBLEM RESIDENT THINKS . I BELIEVE THIS COULD CONTRIBUTE TO THE ISSUE. HOWEVER ITS ON PRIVATE PROPERTY NOT A CITY ISSUE.
4/19/2016		ANIMAL	2016-080	4/19/2016	2:15 PM		3036 SOM Center	440-943-2444	Dead Cat in yard. They have a circle driveway and the cat in the in middle by the tree	ANIMAL WAS REMOVED.
6/22/2016		STW	2016-81	4/22/2016	7:30 AM	PATRICK FISHER	2828 SOM CENTER	440347-0695	WANTS TO MAKE SURE SEWER IS CLEAR IN THE CROSSOVER THAT HIS STORM SEWER IS TIED IN.	WENT OUT WITH THE CAMERA . PATRICK WAS PRESENT DURING THE VIDEO. THE SEWER IS VERY CLEAR AND IS IN GOOD SHAPE
4/27/2016			2016-082	4/26/2016	11:06 AM	Carol Nelboeck	30860 MEADOWBROOK	440-585-0712	SEWER BACKING UP INTO HOUSE WHEN SHE IS WASHING CLOTHES, SHE SAID THAT WATER AND SEWER TRUCKS WERE OUT THERE ON FRIDAY AND EVER SINCE SHE HAS BEEN HAVING A PROBLEM. NOT SURE IF IT WAS THE CITY THAT WAS OUT THERE OR NOT.	MET WITH RESIDENT ON SITE THIS ISSUE IS IN HER HOUSE TO THE STREET I TOLD HER TO CALL A PLUMBER. SHE ALSO STATED SHE HAS BEEN DUMPING DRANO IN THE DRAIN FOR SOME TIME SO IT BEEN A ONGOING PROBLEM.
4/27/2016		ANIMAL	2016-083	4/27/2016	8:19 AM	VOICE MAIL	CHARDON ROAD		DEAD GOOSE BY FIRE HYDRANT INFRONT OF MATTRESS AND APPLIANCE STORE ON CHARDON ROAD	
4/27/2016			2016-084	4/27/2016	10:32 Am	Dawn DANAHER	38100 PLEASANT VALLEY	20376-570-9637	2 SEWER GRATES ARE BROKEN ON THE STREET ON BY THE DRIVEWAY AND ONE UP THE HILL A LITTLE BIT. ALSO THERE IS A DEAD RACOON IN MIDDLE OF ROAD DOWN THE HILL.	COON WAS REMOVED!!
2/28/2016		SINKHOLE	2016-085	4/27/2016	2:45 PM	PAUL PENFIELD	220375 RIVER ROAD	ZZULU2037@AOL.COM	LAST YEAR THE STORM SEWER AT HIS PROPERTY WAS REPAIRED. AFTER THE EXCAVATION WAS REFILLED, SOIL SUBSIDENCE RESULTED IN A 9-INCH DEEP HOLE ON THE TREELAWN. COULD CITY LEVEL THIS HOLE? (SEE EMAIL TO M. GRUBISS FOR PICTURES)	THIS HOLE WAS FILLED IN WITH FILL DIRT THEN FINISHED OFF WOITH TOPSOIL AND SEED.
5/26/2016			2016-086	5/2/2016	9:12 AM	Smicklas, John	2905 Bishop Road	440-585-0513	SINKHOLE ON SOUTH SIDE OF PROPERTY ABOUT 8 OR 9 FEET FROM STORM SEWER 05/19/2016 RESIDENT STOPPED IN TO SEE IF THE SERVICE DEPT HAS TAKEN A LOOK AT THIS YET. PLEASE CALL RESIDENT.	5/18/2016 LOOKED AT THE SINK HOLE WE WILL NEED TO REPAIR IT! AS SOON AS WE FINISH PRIOR PROJECTS.SINK HOLE WAS REPAIRED FOUND SEPERATION IN THE JOINT. WE PATCHED IT.
5/3/2016		STW	2016-087	5/3/2016	10:30 PM	MR. GUREVICA	2910 MILLGATE	(440) 953-8812	THERE IS WATER SURROUNDING THE HYDRANT IN FRONT OF HIS HOUSE, AND AROUND 30 FEET ON EITHER SIDE.	SM CALLED MARK - MARK INSTRUCTED SM TO CALL COUNTY; SM CALLED COUNTY AND TALKED TO WEST END DISTRICT WHO WILL GO TO PROPERTY AND INVESTIGATE PROBLEM

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
6/1/2016		PAVE PATCH	2016-088	5/3/2016	10:42 Am	MR. LUSKIN	2965 TALL TREE	20376-469-7256	ASPHALT AT END OF DRIVEWAY NEEDS TO BE REPAIRED. MR. LUSKIN SAID THAT HE SPOKE WITH MARK LAST FALL AND THE REPAIR NEEDED IS FROM THE SEWERS AND THAT WE WOULD TAKE CARE OF IT THIS SPRING.	6/1/2016 ASPHALT APPRON WAS REPAIRED!! THE HEAVING OF THE DRIVEWAY WAS CAUSED BY THE FREEZE AND THAW. THIS WILL MOST LIKELY HAPPEN AGAIN AND WE NOT BE RESPONSIBLE TO FIX IT AGAIN. THE CULVERT IS TO HIGH.
4/27/2016		DITCH	2016-089	7/28/2015		RON YOUNG	38400 BERKSHIRE HILLS	440-951-6964	DITCH HAS STANDING WATER AND BREEDS MOSQUITOOS	WE WENT OUT AND DITCHED 220' TO GET THE WATER MOVING . THIS AREA IS VERY FLAT HARD TO GET IT ALL OUT.
5/4/2016		ANIMAL	2016-090	5/4/2016	8:40 AM	MRS. KARULA	38018 PLEASANT VALLEY	440-953-5414	DEAD ANIMAL ON STREET BY HER DRIVEWAY	REMOVED THE RACOON!!
5/26/2016		DITCH	2016-091	5/5/2016	2:02 PM	Mr. Bukovec	2834 STARK DRIVE	440-773-6385	DITCH NEEDS TO BE CLEANED OUT, BACKING UP WITH WATER	WENT TO THIS HOUSE TODAY AND CLEANED OUT DITCH.
.		PAVE/PATCH	2016-092	5/5/2016		BOB MEHALIC	3042037 MEADOWBROOK		BIG CHUNKS OF ASPHALT COMING UP ACROSS THE STREET FROM HIS DRIVEWAY	
5/6/2016		ANIMAL	2016-093	5/6/2016	8:50 AM	MRS. CANZONE	2915 LAMPLIGHT LN	440-944-3345	DEAD DEER IN HER BACKYARD - BACK BY WHERE THE WOODS START	SM CALLED MG; MG PICKED UP DEER. JOB COMPLETE.
5/9/2016		PAVE/PATCH	2016-094	5/9/2016	10:42	Gary Barta	33655 Rosewood		POT HOLES IN THE ROADWAY, REBAR IS SHOWING NEAR 33655 ROSEWOOD. AND THERE ARE A FEW OTHER AREA ON THE ROADWAY THAT NEED TO BE REPAIRED.	I WENT TO LOOK AT THIS AND FOUND SEVERAL BAD AREAS AND FILLED THEM WITH COLD PATCH. I WILL ALSO GET QUOTES TO MAKE NESSESARY REPAIRS TO PERINENT CONCRETE.
7/23/2016		TREE	2016-095	5/12/2016		BOARD OF TRANSPORTATION	GRAYLOCK DRIVE		LOW HANGING BRANCH ON GRAYLOCK, HITTING THE SCHOOL BUSSES	TREES WERE TRIMMED BY MATT KAHLEY!!
5/16/2016		DITCH	2016-096	5/16/2016	8:18 am	NORM BELLISSIMO	2674 RIVER ROAD	440-488-0594	DITCH IS BACKED UP/BLOCKED. RESIDIENT SAID THAT HIS CULVERT PIPE IS A BRAND NEW PIPE.	WENT THIS ADRESS AND FOUND A BASKETBALL LODGED IN THE SEWER. I WAS ABLE TO ATTACH A KNIFE TO A LONG STICK AND STAB THE BALL AND PUSH IT OUT!
5/16/2016		ANIMAL	2016-097	5/16/2016	8:33 AM	NICK ESTVANIK	2396 TRAILARD	440-946-9156	DEAD RACCON IN BACK YARD, RESIDENT NEEDS TO LET HIS DOGS OUT!!!	WENT TO THE RESIDENTS AND REMOVED THE RACOON!!
5/16/2016		ANIMAL	2016-098	5/16/2016		POLICE DISPATCH	2815 ORCHARD		DEAD DEER IN BACK YARD, ONE OF THE NEIGHBORS CALLED IT IN TO DISPATCH AND WAS NOT SURE OF THE EXACT ADDRESS BUT BELIEVES THAT IT IS 2815 ORCHARD	TOOK BACK HOE OVER TO THE RESIDENTS AND REMOVED THE DEER
5/17/2016		Mailbox	2016-099	5/16/2016	3:41 PM	Maria D'Amico	2526 River Road	440-256-2031	Mail Box was knocked down by snowplow and never replaced, house is vacant.	MAIL BOX WAS REPAIED!!
5/18/2016		MISC	2016-100	5/18/2016	3:15 PM	DELAUR	28819 CHARDON	440-585-4192	LAWN TRACTOR IS STUCK IN MUD. CAN WE HELP GET IT OUT?	SM CALLED MG - MG WENT TO RESIDENCE IMMEDIATELY. WENT OUT TO THE RESIDENTS HOUSE AND HELPED HIM DIG OUT HIS MOWER.
5/24/2016		GRASS	2016-101	5/19/2016	8:32 AM	SHARON DISANTIS	2784 STARK	440-516-8634	DITCH IN FRONT OF HOUSE IS TO STEEP FOR HER TO MOW, CAN WE HELP HER OUT AND MOW IT FOR HER, SHE SAID THAT WE HAVE DON'T IT BEFORE.	GRASS WAS MOWED DURING GRASS CUTTING
5/20/2016		ANIMAL	2016-102	5/20/2016		FRED WYSS	WHITE ROAD		DEAD ANIMAL ON WHITE ROAD BRIDGE EAST BOUND LANE	ANIMAL WAS REMOVED.

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
5/23/2016		ANIMAL	2016-103	5/23/2016	9:35 AM				IN MIDDLE OF ROAD IN FRONT OF 2973 ROCKEFELLER	REMOVED !
6/10/2016		DITCH	2016-104	5/24/2016	11:19 AM	CHRISTINA DOMINICK	34001 PARKVIEW ROAD	440-547-2894	DITCH NEEDS TO BE CLEANED OUT	DITCHED 155'
7/20/2016		SIGN	2016-105	5/24/2016		POLICE DISPATCH	SOM CENTER AND WHITE		TURN LANE SIGN ON NORTHWEST CORNER OF SOM CENTER AND WHITE ROAD NEEDS TO BE PUT BACK UP.	NEW SIGN WAS INSTALLED
5/26/2016		MISC	2016/106	4/28/2016			2895 LAMOLIGHT LANE		DITCH NEEDS TO BE FIXED	I LOOKED THIS WE NEED TO GRADE FROM THE DRIVEWAY AND GO SOUTH TO THE TOP OF THE CATCH BASIN. WHEN DONE RESEED THE ENTIRE DITCH.AND TOPSOIL. THIS IS FROM THE UTILITIES LOWERING FROM 2015 PROJECT.WE WENT TO THIS RESIDENTS HOUSE AND CLEANED OUT A TOTAL OF 120' OF THE DITCH ALSO RESEEDED THE DITCH.
5/31/2016		PAVE/PATCH	2016-107	5/31/2016	10:51 Am	CHRIS WELSH	38801 CHARDON ROAD	21346-577-3033	POT HOLE IN THE ROAD JUST EAST OF DRIVEWAY.	HOLE WAS FILLED IN WITH COLD PATCH.
.		TREE	2016-108	6/1/2016	2:05 PM	JEFFREY ZADROVEC	2483 TRAILARD	440-951-4691	TREE ON HIS PROPERTY BY STREET IS IN BAD SHAPE (WOODPECKERS!!!) AND THERE IS A CABLE ATTACHED TO IT. WANTS TO KNOW IF THE CITY CAN HELP COORDINATE CUTTING IT DOWN AND RE-DIRECTING WIRE.	
6//22016		GRASS	2016-109	6/1/2016	3:00 PM	ANN ZORICH	2909 EMERALD LAKES BLVD	440-943-1634	2915 EMERALD LAKES - GRASS IS HIGH IN BACKYARD - ONLY FRONT IS BEING CUT - IS THERE ANY WAY WE CAN GET THE BACK TO BE CUT?? THIS HOUSE IS VACANT AND FOR SALE. SHE SAID THE PERSON CUTTING THE GRASS TOLD HER HE ONLY GETS PAID TO DO HALF.	
6/2/2016		ANIMAL	2016-110	6/2/2016	8:39 AM		30056 WHITE ROAD		DEAD ANIMAL - CALLED AND INFORMED MARK.	ANILMAL REMOVED
6/8/2016		SINKHOLE	2016-111	6/2/2016	1:50 PM	ED HARNRIHAR	2870 OAKWOOD	440-943-7086	SINK HOLE IN YARD ON NORTH SIDE ABOUT 8 FEET FROM THE STREET, SHE SAID THAT THIS IS WHERE THE CITY DID A REPAIR TO THE SEWER 2 YEARS AGO AND NOW THERE IS ANOTHER SINK HOLE. ALSO HE WOULD LIKE FOR THE POT HOLES IN THE STREET TO BE LOOKED AT AND REPAIRED. PLEASE CALL RESIDENT WHEN YOU ARE GOING TO LOOK AT THE SINK HOLE. 06/2134/2016 @ 10:08 AM RESIDENT CALLED BACK AND SAID THAT NO ONE HAS BEEN OUT TO LOOK AT THIS OR HAS CALLED HIM. PLEASE CALL RESIDENT. 07/28/2016 RESIDENT LET VOICE MAIL THAT HE HAS BEEN OUT OF TOWN AND SINK HOLE IS STILL THERE, WOULD LIKE TO KNOW WHAT IS GOING ON, IF WE ARE GOING TO SCHEDULE THIS TO BE FIXED. PLEASE CALL	WE DUG THIS UP AND FOUND PIPE FOR STORM HAS COLLAPSED. WE REPAIRED THE PIPE AND BACK FILLED . COMPLETE!!
7/14/2016		STORMWATER	2016-112	6/3/2016	2:09 PM	GREG WILSON	2806 ORCHARD DRIVE	21346-299-8300	STORM SEWER GRATE HAS RUSTED AND FALLEN INTO THE SEWER LEAVING A GAPING HOLE.	NEW GRATE WAS MADE AND INSTALLED
6/4/2016		PAVE/PATCH	2016-113	6/3/2016		BEVERLY	2955 LAMPLIGHT LANE	440-585-4470	BIG CHUCK HOLE AT THE END OF HER DRIVEWAY	HOLE WAS SAW CUT AND PATCHED WITHCONCRETE PATCH
6/6/2016		ANIMAL	2016-114	6/6/2016		POLICE DISPATCH	29411 EDDY ROAD		DEAD DEER ON WEST SIDE OF PROPERTY	DEER SWAS REMOVED!!

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
6/6/2016		CLEAN	2016-115	6/6/2016			DODD		LARGE LIMB DOWN ON DODD ROAD 1/2 MILE FROM EAGLE	LIMB WAS REMOVED
6/6/2016		DITCH	2016-116	6/6/2016			37891 MILLAN DRIVE		NEED TO CLEAN CULVERT	CULVERT WAS CLEANED OUT WIH SEWER TRUCK. NOW THE DITCH NEEDS TO BE CLEANED OUT WITH EXCAVATOR
9/28/2016.		SINKHOLE	2016-117	6/7/2046		LILIAN	2803 SOM CENTER ROAD	440-510-8240	SINK HOLE AT SEWER	REPAIRED AND FILLED IN WITH DIRT
5/25/2016		TREE	2016-118	4/15/2016	10:29AM	DONALD MONTGOMERY 37300 ROGERS ROAD			REMOVE HAZARD TREES	TREES WERE REMOVED BY PRO TREE REQ#465799
9/28/2016		DITCH	2016-119	6/13/2016	3:01 PM	JACKIE BASHAM	2575 TRAILARD	440-269-8122	CELL 440-749-4894 DITCH NEEDS TO BE DUG OUT VERY SHALLOW AND CULVERT IS FILLED UP.	DITCH WAS CLEANED OUT OF ALL SILT AND DEBRI
6/14/2016		ANIMAL	2016-120	6/13/2016	4:29 PM	MARK BLANCHARD	2920 ERICH	21346-659-1060	DEAD RACCOON - FRONT YARD (NORTH END OF PROPERTY) BY STREET	REMOVED!!
7/18/2016		TREE	2016-12134	6/2134/2016	2:06 PM	Rob	MAPLEGROVE/RIVER	21346-990-0831	HARD TO SEE WHEN LOOKING LEFT TO TURN ONTO RIVER ROAD BECAUSE OF TREES	WE REMOVED WHAT WE THOUGHT WAS IN THE WAY DURING THE TREE TRIMMING. HOWEVER SOME OF THESE TREES ARE ON PRIVATE PROPERTY.
7/1/2016		SIGN	2016-122	6/27/2016	8:53 AM	SALLY STAFFORD	38681 DODDS LANDING	440-725-0238	POST WITH NO STREET SIGN AT ENTRANCE OF STREET, WOULD LIKE TO KNOW WHERE THE SIGN IS FOR THE STREET. THERE IS A POST THERE FOR THE STREET BUT NO SIGN. PLEASE CALL RESIDENT BACK. SHE SAID THAT SHE HAS LEFT MESSAGES FOR MARK AND HAS NOT HEARD ANYTHING.	I CALLED THE RESIDENT AND TOLD HER TO GET WITH THE OTHER RESIDENTS ON HER STREET TOSEE IF THEY CAN PURCHSE A NEW SIGN. OUR SIGN IS UP ON THE POLE. IT'S A PRIVATE SIGN.
8/11/2016		TREE	2016-123	6/24/2016		THERESA	2535 RIVER ROAD	440-724-5323	DEAD ASH TREES IN THE RIGHT OF WAY AT HER ADDRESS. RESIDENT WOULD LIKE FOR YOU TO CALL HER WHEN YOU GO LOOK AT THE TREES.	TWO TREES WITH PINK RIBBON WERE REMOVED. THE OTHER TREES SHE IS TALKING ABOUT ARE HER RESPONSIBILITY TO REMOVE. THEY ARE OUTSIDE THE R.O.W.
6/29/2016		MISC	2016-124	6/29/2016		BERNICE JONES	31851 MILLER	440-943-2896	TREE LAWN IS FULL OF WATER, LANDSCAPER WAS OUT TWO WEEKS AGO AND THERE WAS NOT PROBLEM, NOW THE TREE LAWN IS SOAKED. WATER LEAK? HOUSE IS ON SEPTIC BUT UP THE HILL ARE ON SEWER. RESIDENT IS WONDERING IS IT IS A SEWER PROBLEM	THIS IS A WATERLINE LEAK I REPORTED IT TO THE WATER DEPARTMENT. THEY WILL REPAIR WILL BE MADE ON 7/6/2016.THE LAWN AND RODWAY WILL BE FIXED AT A LATER DATE.
7/6/2016		CLEAN	2016-125	7/5/2016	1:30 PM	RICHARD CHAPPINI	38225 PLEASANT VALLEY RD	440-22134-3078	TREES WERE TRIMMED BUT A) NOT CLEANED UP, AND B) TOOK TOO MUCH!!!	I CALLED THE RESIDENT ABOUT WHAT HAPPENED AND TOLD HIM WE CUT THE TREES THE DAY BEFORE.WE CLEANED THEM UP THE NEXT DAY ALSO THE TREES THAT WERE TRIMMED WERE IN THE RIGHT OF WAY. HE NOW UNDERSTANDS WHAT HAPPENED.
8/10/2016		LIGHT	2016-126	7/6/2016	8:15 AM	MR. SULLIVAN		21346-780-9812	STREET LIGHT OUT AT MAPLE GROVE AND MAPLE VIEW	LIGHT WAS CALLED IN TO CEI!!
7/6/2016		SAN	2016-127	7/6/2016	9:05 AM	MR. GILLARD	34002 MARCUM	440-943-3056	RESIDENT STOPPED IN - BACK YARD DRAINAGE ISSUE. SAID FRED AND MARK WERE ALREADY AT HIS PROPERTY - WANTS TO KNOW STATUS OF WORK THAT STILL NEEDS TO BE DONE	THE STATUS ON THIS IS BETWEEN HIM AND HIS NEIGHBOR.THIS IS ALSO ON PRIVATE PROPERTY. FRED AND MYSELF MADE A RECOMMENDATION TO BOTH PARTYS ON SITE ABOUT MAKING A DRAWING TO SUBMIT AND INSTALL SOME TYPE OF DRAINAGE.

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
7/11/2016		MISC	2016-128	7/11/2016	8:10 AM	KAREN BUTLER	2715 MORNING STAR	21346-363-4429	SERVICE DEPT RCVD EMAIL FROM RESIDENT REGARDING HOLE IN CAP OF PIPE IN THEIR DRIVEWAY. BOB MOORE SAID IT WAS A WATER SHUT-OFF AND ASKED SHAREN TO CALL COUNTY TO HAVE THEM PUT NEW CAP ON. SHAREN CALLED COUNTY WHO SAID THE SHUT-OFF IS ACTUALLY 24 FEET FROM FROM ROAD AND TO THE RIGHT OF THIS PROPERTY, BUT THEY WOULD GO OUT THERE TOMORROW (7/12/16) TO CHECK IT OUT AND REPAIR IF IT IS COUNTY RELATED. SHAREN LET BOB KNOW; HE WENT TO PROPERTY TO LOOK AT IT AND BELIEVES IT IS A SHUT-OFF NOT TO THE HOUSE, BUT TO THE MAIN. TOUCH BASE 7/12/16 AFTER COUNTY HAS A CHANCE TO LOOK AT IT.	
7/11/2016		TRASH	2016-129	7/11/2016	3:45 PM	JOAN MATUZA	28752 CHARDON RD	440-585-321345	WHISPER PROJECT/CLEAN UP - GLORIA TOLD RESIDENT THAT WHATEVER GARBAGE REPUBLIC SERVICES DID NOT TAKE, THE CITY WOULD COME GET AND DISPOSE OF. THERE IS SOME THAT REPUBLIC DID NOT TAKE - COULD WE COME GET?	CARL PICKED UP THE GARBAGE
8/26/2016		PAVE/PATCH	2016-130	7/14/2016	9:20 am	MARK RUDIAK	2526 RIVER ROAD	21346-777-9724	POT HOLE IN RIVER ROAD ACROSS THE STREET FROM THIS ADDRESS. 08/02/2016 RESIDENT CALLED AGAIN TO FIND OUT WHEN THIS WILL BE FIXED, PLEASE LET ME KNOW SO I CAN CALL HIM BACK	THIS AREA WAS MILLED AND PAVED ON 8/25/2016
7/25/2016		ANIMAL	2016-131	7/25/2016	9:13 AM	DISPATCH	30751 CHARDON ROAD		DEAD DEER UNDER GREEN TARP NEAR FENCE	DEER WAS REMOVED
7/25/2016		ANIMAL	2016-132	7/25/2016	9:13 AM	DISPATCH	SOM AND PARKVIEW		DEAD DEER CORNER OF SOM AND PARKVIEW	DEER WAS REMOVED
8/10/2016		MISC	2016-133	7/26/2016			SOM CENTER ROAD		RESIDENT CALLED ABOUT THE CITY'S "FENCE" ON SOM CENTER BU TIMBERLINE. I BELIEVE THAT SHE IS TALKING ABOUT THE GUARD RAIL BEING ALL RUSTED.	MARK, DID YOU GET THIS WORK ORDER FROM WHEN YOU WERE ON VACATION? I CAN NOT FIND THE ORIGINAL ONE THAT I PUT IN, SO I PUT IT IN AGAIN. THIS IS GUARRAIL WE WILL REPLACE IT AS SOON AS I CAN FIT IT INTO MY SCHEDULE.TALKED TO THE RESIDENT HE WOULD LIKE US TO JUST REMOVE IT ITS A SORE EYE. GUARDRAIL WAS REMOVED.
7/26/2016		ANIMAL	2016-134	7/26/2016	10:25 AM		2856 OAKWOOD DRIVE		DEAD DEER ON CORNER OF OAKWOOD AND CHARDON ROAD	DEER WAS REMOVED AFTER WE FOUND IT THIS ANIMAL WAS IN THE BACK YARD NOT THE SIDE YARD.
7/27/2016		ANIMAL	2016-135	7/27/2016		FRED WYSS	ROGERS ROAD		DEAN RACOON ON ROGERS ROAD HEADING UP THE HILL	MARK HAD ME CALL AND INFORM KEYYN BECAUSE KENNY WAS HEADING UP THAT WAY REMOVED!!
7/26/2016		CLEAN	2016-136	7/26/2016	4:30 Pm	POLICE DISPATCH	ROGERS ROAD		DISPATCH CALLED AND SAID THAT THERE WAS A ROLL OVER CRASH THE NIGHT BEFORE AND THERE IS DEBRIS ON ROGERS ROAD NEAR BRIDGE	CALLED AND INFORMED MARK ON MORING OF 7/27/2016. KEN RICHARDS REMOVED ALL DEBRI.
7/27/2016		MISC	2016-137	7/27/2016	9:00 AM	CHRIS BIDDLE	MILANN AND DODD		CHRIS CALLED TO REPORT A POSSIBLE SLOW WATER LEAK IN THE MIDDLE OF THE ROAD. THERE IS A SPOT IN THE MIDDLE OF THE ROAD THAT NEVER DRYS. HE IS NOT SURE IF WE SHOULD BE CONCERNED THAT IS A WATER BREAK OR NOT.	THIS IS JUST WATER FROM DRAINAGE BY THE EDGE OF THE ROAD. THIS IS NOT A WATER LINE LEAK.
8/11/2016		DITCH	2016-138	7/27/2016	10:15 AM	JIM MANN	34765 WHITE ROAD	440-585-3240	RESIDENT STOPPED INTO FINANCE DEPT AND SAID THAT THE ROADWAY AT THE END OF HIS DRIVEWAY IS STARTING TO HEAVE UP. CAN WE PLEASE TAKE A LOOK AT THIS?	TALKED TO THE RESIDENT THIS PROBLEM IS HIS CULVERT. I TOLD HIM TO REPLACE THE CULVERT AND LOWER IT.THE PIPE IS ROTTED OUT. WE WILL DITCH WHEN THEY FIX THERE PIPE.THE PIPE WAS REPLACED BY A CONTRACTOR. WE WILL DITCH FROM THE DRIVEWAY WEST TO THE NEXT DRIVEWAY. COMPLETE
7/29/2016		TRASH	2016-139	7/29/2016		DAN MOLNAR	2909 ERICH DRIVE	440-655-0142	RESIDENT CALLED AND SAID THAT THE RESIDENT BEHIND HIM IS DUMPING CONSTRUCTION DEBRIS ON THE PROPERTY LINE, IT IS TO THE LEFT OF THE SHED.	I WENT AND LOOKED AT THIS. IT IS TWO PILES OF BLOCK.I TOOK PICTURES AND SENT THEM TO FRED. HE WILL FOLLOW UP WITH A LETTER TO LET THEM KNOW ABOUT DUMPING DEBRI IN HIS BACK YARD

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
8/1/2016		WIRE	2016-140	8/1/2016		PAT SCHUETTE	2324 RIVER ROAD	440-953-0104	DOWN WIRES RUNNING ACROSS HER DRIVEWAY AND THE NEIGHBORS DRIVEWAY.	I CALLED AND GAVE INFO TO KENNY AND HE WENT BY AND TOOK A LOOK, SAID THAT THEY ARE PHONE LANDLINE WIRES, I CALLED AND INFORMED AT&T AT 1-800-288-2020
8/3/2016		PAVE /PATCH	2016-141	8/1/2016		WAYNE & ANGELA LINEK	ROCKEFELLER		BIG DIP IN THE ROAD ON ROCKEFELLER RIGHT BY THE NEW HOUSE THAT IS BEING BUILD BY SKODA CONSTRUCTION	FILLED IN POT HOLE
8/2/2016	MISC	MISC	2016-142	8/2/2016		POLICE DISPATCH	CITY HALL ENTRANCE		HORNETS NETS UNDER RAILING NEXT TO PILLER IF YOU ARE FACING CITY HALL	CALLED AND INFORMED MARK, HE SAID THAT THEY WILL SPRAY IT AGAIN
8/18/2016		DEDD ANIMAL	2016-143	8/18/2016		BARB	3014-3015 ROCKEFELLER		DEAD ANIMAL	REMOVED SMASHED ANIMAL!!
8/18/2016		LIGHT	2016-144	8/18/2016		FUNK	CHARDON AND FAIRVIEW	440-516-1287	RESIDENT AT 28840 CHARDON ROAD CALLED AND LEFT VOICE MAIL THAT STREET LIGHT IS OUT. CALLED IN TO C.E.I	
8/18/2016		DITCH	2016-145	8/18/2016		STEVE KLINGER	38470 ROGERS ROAD	440-571-4488	ROADWAY IS CRUMBLING IN FRONT OF HOUSE, ALSO WANTS TO KNOW ABOUT GETTING A LARGER DRAIN TILE UNDER DRIVEWAY.	I TALKED TO THE RESIDENT ON SITE. I DIRECTED HIM HE CAN INSTALL A NEW CULVERT UNDER THE DRIVEWAY. I TOLD HIM IT HAS TO BE MINNIUM 12" AND A PERMIT MUST BE PULLED AND INSPECTED BY THE SERVICE DEPARTMENT.
8/29/2016		MISC	2016-146	8/29/2016		DEBRA BRYDA	2967 LEGEND LANE	440-944-3239	ACROSS THE STREET FROM HER HOUSE THERE IS A "DIP" IN THE ROAD WITH LOTS OF WATER BY THE DRAIN, SHE IS NOT SURE IS THERE IS A PROBLEM	I CALLED THE WATER DEPARTMENT ON THISIT IS A WATERLINE LEAK. I ALSO SPOKE WITH DEBRA AND IN FORMED HER OF THIS AS WELL
8/31/2016		TREE	2016-148	8/30/2016	9:08 am	Tom ARTINO	2579 HANNA ROAD	440-984-9143	DEAD TREE IN THE CENTER OF PROPERTY NEAR THE ROAD NEEDS TO BE CUT IT IS TOWERING OVER THE POWER LINES.	TREE WAS KNOCKED OVER INTO THE WOODS.
8/31/2016		MB	2016-149	8/31/2016	10:2134 AM	MR. NASH	2430 RIVER ROAD	440-942-0716	MAILBOX WAS KNOCKED DOWN WHEN WE WERE MOWING GRASS ON 08/30/2016 WITH THE ARM MOWER.	MAILBOX WAS VERY ROTTED. WE REPLACED IT FOR THE RESIDENT.
9/1/2016		DEAD ANIMAL	2016-150	9/1/2016	8:33 AM	Jeff Lueburger	35901 MAPLEGROVE		DEAD SKUNK IN MIDDLE OF ROADWAY	ANIMAL WAS REMOVED!!
8/25/2016		TREE	2016-151	8/22/2016	8:00 AM	JOHN KRAUSS			TREE MARKED IN BLUE TAPE. NEEDS TO BE REMOVED ASAP!!	REMOVED TREE!!
9/7/2016		MISC	2016-152	9/7/2016	2:07 PM		CHARDON ROAD		BIG TIRE IN MIDDLE OF THE WEST BOUND LANE BEFORE RIVER ROAD	MAYOR AND MYSELF PICKED UP ALL TIRE DEBRI
9/12/2016		SIGN	2016-153	9/12/2016	2:37 PM	JOAN MAZI	2837 STARK DRIVE	440-943-3336	THE WAS A NO PARKING SIGN ON THE POLE ACROSS THE STREET FROM HER HOUSE AND IT IS NO LONGER THERE, RESIDENT WOULD LIKE A SIGN PUT BACK UP.	
9/13/2016		TREE	2016-154	9/12/2016	3:52 PM	DAVID DIFFENBACHER	37600 MILANN	440-975-8513	TREE FELL OVER ON SUNDAY IN HIS YARD AND THERE ARE BRANCHES HANGING OVER IN THE ROAD, RESIENT WANTS TO KNOW IF WE WILL COME AND ATLEAST REMOVE THE BRANCHES.	REMOVED
9/28/2016		DITCH	2016-155	9/20/2016	1:08 PM	KRISTINA AND MATT VUGRINEC	2784 OAK	440-943-2693	CULVERT ON SIDE OF DRIVEWAY NEEDS TO BE CLEANED OUT, RESIDENT SAID THAT BRICKS FELL IN FROM THE SIDES	THE BRICKS WERE REMOVED!! A NEW 6" RISER WAS INSTALLED ALONG WTH A NEW GRATE. OLD ONE WAS IN VERY BAD SHAPE

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
9/28/2016		DITCH	2016-156	9/19/2016		NORM GOODMAN	34460 PARKVIEW		DITCH NEEDS TO BE CLEANED OUT.	DITCHED 81'
9/28/2016		DITCH	2016-147	9/23/2016		COLBY	2868 CRICKET LANE		DITCH SOUTH OF HIS PIPE TO THE NEIGHBOR	DITCHED 49'
9/30/2016		SINKHOLE	2016-148	9/30/2016	8:05 AM	JIM HEATERHINGTON	2912 OAK	440-943-6646	SINKHOLE IN DITCH WE HAVE FILLED IT IN BACK IN 2013 AND ITS THERE AGAIN. IT IS 10 FT SOUTH OF DRIVEWAY	THIS IS CAUSED BY THE SANITARY SEWER DITCH SETTLING.
10/14/2016		PAVE/PATCH	2016-149	10/5/2016		RESIDENT	BISHOP ROAD		FIX THE BUMP AT THE COUNTY LINE GETTING WORSE	THIS BUMP IS WERE THE CONCRETE MEETS THE ASPHALT. WE WILL MILL AND PAVE THIS AREA TO FIX WHAT IS HEAVED UP.
10/3/2016		ANIMAL	2016-150	10/3/2016		ALLYE LIPP	2991 ROCKEFELLER	440-991-6097	DEAD DEER IN BACK YARD NEAR POND	REMOVED!!!
10/11/2016		PAVE/PATCH	2016-151	10/3/2016			RESIDENT		FIX BERM IN FRONT OF MAILBOX	NEED TO INSTALL GRINDING ON THE EDGE OF THE ROAD
10/11/2016		PAVE /PATCH	2016-152	10/3/2016			CITY		MILL BOTH SIDE OF THE BRIDGE EMBUTMENTS	AREA IS PAINTED IN WHITE PAINT AND MARKED DEPTH
10/10/2016		PAVE/PATCH	2016-153	10/3/2016			RESIDENT		SPEED BUMP IN FRONT OF BUSY BEAR	NEED TO JUST MILL THIS DOWN NO ASPHALT REQUIRED. THIS WAS MILLED DOWN
10/10/2016		STW	2016-154	10/3/2016			DISPATCH		DAMAGED CATCH BASIN	FIX THE BASIN FROM CAR ACCIDENT WITH NEW RISER PIECE. YOU WILL NEED FLAGGERS FOR THIS ALSO A POLICE CARFOR ASSISTANCE.
10/4/2016		MISC	2016-155	10/3/2016			CITY		PLACE BROKEN CONCRETE IN DITCH	CONCRETE NEEDS TO BE PLACED ON THE UPPER BANKS FOR ERROSION ISSUE. CONCRETE IS ALREADY DOWN THERE.NEED MINI NEXCAVATOR WITH THE THUMB.
.		TREE	2016-156	10/4/2016		FRANK LACONTE	2550 RIVER ROAD	440-942-0857	BRANCH HANGING ON WIRE, RESIDENT WORRIED IT WILL BRING DOWN THE WIRES.	
10/10/2016		ANIMAL	2016-157	10/10/2016	9:05 AM		35955 CHARDON		DEAD ANIMAL IN MIDDLE OF STREET	REMOVED!!!
.	SPRING	DITCH	2016-158	10/12/2016	1:40 pm	SANDRA LUNKA	GRAYLOCK DRIVE		CULVER/DRAIN AT THE CORNER OF GRAYLOCK NEEDS TO BE CLEANED OUT.	
10/13/2016			2016-159	10/13/2016	11:29 am	Karen Zak	29304 WHITE	440-585-3532	LARGE DEAD BUCK IN REAR OF YARD TOWARD STREAM	
.		PAVE/PATCH	2016-160	10/17/2016		JOE DAPRANO	35360 MARTIN	440-942-2361	RESIDENT CALLED AND WOULD LIKE FOR ASPHALT TO BE BUT DOWN AT THE END OF HIS APRON AND THE ROADWAY. THIS IS A NEW HOUSE BUILT ABOUT 4 YEARS AGO AND THIS WAS NEVER DONE.	

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
10/18/2016		SIGN	2016-161	10/18/2016			MICHELLE COURT		STOP SIGN DOWN AT MICHELLE COURT AND PINE VALLEY	SIGN WAS RUN OVER. REINSTALLED THE OLD POST. COMPLETE
.	SPRING	DITCH	2016-162	11/2/2016	9:57 am	CHARLENE MELITI	2750 OAK STREET	440-569-1267	CULVERT NEEDS TO BE DUG OUT, THIS HOUSE IS A CORNER LOT EDDY ROAD SIDE NEEDS TO BE DUG OUT ALSO	DON'T SEE A ISSUE HERE.N I NEED TO CONTACT .THE HOME OWNER
11/8/2016		ANIMAL	2016-163	11/7/2016	10:40 AM	SOPHIES CATERING	28888 EDDY/TRABAR	440-944-2555	DEAD SKUNK IN ROAD IN FRONT OF PROPERTY	REMOVED!!
11/8/2016		ANIMAL	2016-164	11/8/2016	9:09 AM	JOSEPH UDOVIC	29117 WHITE ROAD	440-796-5501	DEAD DEAR IN BACK YARD WAY ON THE BACK PROPERTY LINE, FOLLOW THE DRIVEWAY STRAIGHT BACK. NEXT TO BIG OAK TREE HOME PHONE # 944-2833	DEER WAS REMOVED!!
11/12/2016		ANIMAL	2016-165	11/11/2016		ALAN KASTON	2988 ROCKEFELLER	216-402-3402	DEAD DEER IN BACK YARD,	I CALLED AND GAVE INFO TO KENNY DEER WAS REMOVED!
11/15/2016			2016-166	11/15/2016		Barb Realtor	2813 STARK	440-479-4364	REALTOR CALLED AND SAID THAT THE CULVERT IS CRUBLING IN, SINK HOLE IN DRIVEWAY, WOULD LIKE FOR THE CITY TO LOOK AT IT TO SEE IF THERE IS ANYTHING WE WILL DO, OR IF IT IS THE HOMEOWNERS RESPONSIBILITY	MARK WENT AND LOOKED AT THIS CULVERT AND CALLED THE REALTOR AND ADVISED HER THAT THIS IS THE HOMEOWNERS RESPONSIBILITY.
.	SPRING	SINKHOLE	2016-167	11/15/2016	3:02 PM	GORISEK, KARL	28865 EDDY ROAD	440-944-5472	DEVELOPING A SINK HOLE BY HIS MAILBOX. CAN WE PLEASE TAKE A LOOK AT IT. IS THERE ANYTHING WE CAN DO?	LOOKED AT THIS ITS IN THE R.O.W AND WILL NEED TO BE DUG UP AND REPAIRED
11/15/2016		ANIMAL	2016-168	11/15/2016	3:05 PM		2815 SOM CENTER		DEAD RACOON AT BASE OF FIRST OAK TREE NEXT TO FENCE ON NORTH SIDE. SENT MARK A TEXT	RACOON WAS REMOVED!
11/16/2016		BLDG	2016-169	11/16/2016	3:10 PM	SHERRY FROM WH LIBRARY	COMMUNITY CENTER		SHERRY FROM WH LIBRARY CALLED - PATRON LET HER KNOW THAT TOILET IS OVERFLOWING IN WOMEN'S BATHROOM (UPPER LEVEL)	SM CALLED K. RICHARDS - KENNY REPAIED THIS ISSUE.
.		STW	2016-170	11/17/2016		MR. PETERLIN	2513 REDFOX		ADD TWO MORE SHALLOW CATCH BASINS.	THIS WILL BE DONE AS SOON AS WE CAN.IF NOT THIS WINTER IT WILL BE DONE IN THE SPRING.
11/18/2016		ANIMAL	2016-171	11/18/2016		MRS. MORRIS	38595 CHARDON	440-321-8699	DEAD DEER AT THE TOP OF DITCH	DEAR WAS REMOVED!!
11/18/2016		CLEAN	2016-172	11/18/2016	2:20 PM	LISA KUBISH	36161 EDDY	440-953-2418	OWNER OF VACANT HOUSE ON HANNA PUSHED ALL HIS LEAVES INTO THE STREET	SM CALLED MG - MG SAID HE'LL GET THEM MONDAY - ALL LEAF TRUCKS ARE IN SNOW MODE RIGHT NOW. SM CALLED MRS. KUBISH TO LET HER KNOW.THE LEAVES WERE PUSHED OFF THE ROAD BY OUR PLOW TRUCK
11/28/2016			2016-173	11/28/2016	10:23 AM	Zorich, Ann	2909 EMERALD LAKES BLVD	440-943-1634	The Ditch 2 doors south of her has running water in it, she thinks that maybe the fire hydrant is leaking?!?!?!?	WATER DEPT WAS ON SITE FOR THE LEAK.
11/29/2016		TREE	2016-174	11/29/2016	8:32 AM	GINA - ST. NOEL CHURCH		216-469-9228	TREE FELL IN PARKING LOT, THEY ARE NOT SURE WHERE THE PROPERTY LINE IS TO TELL IF IT'S THE CITY'S RESPONSIBILITY OR ST. NOELS. GINA SAID THAT IF ITS ST. NOELS THEY WILL CALL A TREE CONTRACTOR TO COME AND TAKE CARE OF IT.	THIS TREE IS ON THE CHURCHES PROPERTY
.		MB	2016-175	12/12/2016	11:50 AM	VICKY MORIC	29171 CHARDON	440-840-6070	MAILBOX KNOCKED DOWN.	

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
12/16/2016		MB	2016-176	12/13/2016		PAUL	38415 BERKSHIRE HILLS	216-534-9356	MAILBOX KNOCKED DOWN BY SNOWPLOW 12/19/2016 RESIDENT CALLED TO FIND OUT WHEN WE WLL FIX HER MAIL BOX.	THIS MAILBOX WAS HELD TOGETHER BY A RATCHET STRAP. WE DID NOT HIT THE MAILBOX THE SNOW DID. WE SHOULD NOT BE FIXING THE BOXES IF WE DON'T HIT THEM.
12/16/2016		MB	2016-177	12/13/2016	2:17 AM	Heather GALLAGHER	2531 ALAN	440-669-0084	MAILBOX KNOCKED DOWN BY SNOWPLOW	THE BOTTOM POST IS ROTTED OFF THE MAIL BOX WAS NOT STRUCK BY OUR PLOW SNOW KNOCKED IT OVER. I DID CALL AND LEAVE HEATHER A MESSAGE THAT THE BOTTOM PIECE IS ROTTED AND WE WOULD NOT BE FIXING IT SHE WILL NEED TO BUY A NEW METAL BASE STAND. I DID STRAIGHTEN IT BACK UP. I DROVE BY ON 12/27/2016 I SEE THE MAILBOX IS LAYING ON THE GROUND AGAIN. THIS IS AFTER THE THAW. IT WILL BE HER RESPONSABILITY TO FIX IT....
12/26/2016		MB	2016-178	12/13/2016	2:49 PM	Jacqueline Hanks	2904 CAMELOT		CAN NOT GET TO MAILBOX, TO MUCH SNOW PILED UP	SNOW HAS MELTED. WE DO NOT REMVE SNOW PILE UP FROM PLOWING THE STREET. PEOPLE SHOVEL THEIR APRONS OUT THEY NEED TO SHOVEL THE MAILBOX OUT ALSO.
12/16/2016		CLEAN	2016-179	12/13/2016	3:17 PM	MARK KOTOCH	2705 MORNING STAR	216-469-1234	CAN NOT GET TO MAILBOX, TO MUCH SNOW, WOULD LIKE STREET TO BE PLOWED AGAIN, ALSO FIRE HYDRANT IS BLOCKED	THIS SNOW THAT NEEDS TO REMOVED IS FROM A PRIVATE SNOW PLOW CONTRACTOR!!!!!!! THIS IS A SERIOUS PROBLEM IN THE CITY. UNTIL WE PASS A ORDINANCE FOR PRIVATE CONTRACTORS TO BE LISENCED. THIS WILL CONTINUE HAPPENED AND CITY FUNDS ARE BEING USED TO REMOVE THE SNOW. WE DO NOT PILE THE SNOW IN FRONT OF MAILBOXES. WE PUSH OUR SNOW ON A EMPTY LOT. ALSO ON THE SOUTHERN PART OF THE CUL DE SAC.
12/15/2016		CLEAN	2016-180	12/13/2016		MARTY KASTELIC	2674 DEER RUN	440-942-2377	MAIL BOX IS BLOCKED WITH SNOW AND RESIDENT CAN NOT GET TO IT.	REMOVED!!
12/19/2016			2016-181	12/19/2016	10:00 am		BISHOP ROAD		TIRE IN THE MIDDLE OF THE ROAD ON BISHOP ROAD GOING SOUTH	TIRE WAS REMOVED!!!
12/27/2016		MB	2016-182	12/19/2016	11:48 AM		2831 STARK DRIVE		MAILBOX KNOCKED DOWN BY SNOWPLOW	MAILBOX WAS REPAIRED AND REINSTALLED!!!
12192016		ANIMAL	2016-183	12/19/2016	11:55 am	ROGER ANDERSON	2306 RIVER ROAD	440-951-3422	DEAD DEER ALONG THE SOUTH SIDE OF HOUSE.	REMOVED!
1/3/2017		MB	2016-184	12/23/2016	12:28 PM	KASTON, ALAN	2988 ROCKEFELLER	216-402-3402	MAILBOX KNOCKED DOWN BY SNOWPLOW AND IS UNDER THE SNOW PILE CAN NOT RECEIVE MAIL.	1/03/2017 MARK SPOKE WITH RESIDENT AND INFORMED HIM THAT WE WILL NOT BE FIXING HIS MAILBOX BECAUSE IT IS ROTTED AND IMPROPERLY INSTALLED.
12/26/2016		SAN	2016-185	12/26/2016	9:15AM	MARK	2932 SOM CENTER ROAD	440-585-8935	2" WATER IN THE BASEMENT!!!	I MET THE RESIDENT AT THE HOUSE IT IS NOT A SANITARY ISSUE. I CHECKED BOTH CLEANOUTS THEY BARE SPOTLESS. I WENT INTO THE BASEMENT WATER IS COMING THROUGH THE FOUNDATION WALL. LOOKS LIKE THE DRAIN TILE IS PLUGGED. RESIDENT WILL NEED TO SNAKE THE SEWER OUT.HE IS AWARE ITS HIS PRBLEM NOT A CITY ISSUE.
12/27/2016		MB	2016-186	12/23/2016		RICK KROCKER	2885 BISHOP	216-244-3772	MAILMAN CAN NOT GET TO MAILBOX TO MUCH SNOW	SNOW WAS REMOVED!!
12/26/2016		LIGHT	2016-187	12/23/2016		PAUL MCNEIL	2904 BISHOP		STREET LIGHT	CALLED CEI ON THIS LIGHT 2 TIMES

DONE	PRIORTY	CATEGORY	JOB #	DATE	TIME	NAME	ADDRESS	PH #	REQUEST	COMMENTS
12/27/2016		ANIMAL	2016-188	12/27/2016	8:34 AM	TOM	2223 RIVER ROAD	440-336-2937	DEAD DEER ABOUT 10 FEET OFF OF THE ROAD ON HIS PROPERTY	DEER WAS REMOVED!!
12/27/2016		MB	2016-189	12/27/2016	8:39 AM	PAUL BURKHOLDER	38461 FLORENCE	440-796-6216	MAILBOX NEEDS TO BE FIXED IT WAS KNOCKED DOWN BY SNOWPLOW	MAILBOX WAS SCREWED BACK TOGETHER. WE WILL NEED A NEW POST IN THE SPRING.
-		MB	2016-190	12/27/2016	2:00PM	MARY POLAK	2986 SOM CENTER	216-333-3470	MAILBOX WAS DAMAGED BY THE SNOWPLOW, THE RESIDENTS SON IN LAW FIXED WHAT HE COULD BUT THE FRONT AND BACK DOORS WILL NOT OPEN AND SHUT PROPERLY	
12/26/2016		LIGHT	2016-191	12//26/2016	3:06 PM	DISPATCH	ROCKEFELLER/CHARDON		RED LIGHT OUT IN CENTER LANE HEADING SOUTHBOUND	REPLACED BURNED OUT BULB!!

SERVICE VEHICLE MAINTENANCE

SERVICE VEH & EQUIP				WEEK ENDING12/27/16							
						Service at 4000 MILES- Synth Oil					
UNIT #	YEAR	MAKE		DESCRIPTION	SCHEDULE	SERVICED	MILES/HRS.	STATUS	SERVICED	PLATE #	SERIAL #
SERVICE VEHICLES - 250.											
201	2016	2016 GMC Sierra 3500HD P/U Truck		1 ton pickup	5000 miles						1GT22VEG9GZ368513
202	2003	International - Utah		dump-plow truck	5000 miles	8/31/2016	41,434				1FDXK82E8TVAO7541
203	2003	International		dump-plow truck	5000 miles	11/25/2016	72,328			OV5908	1HTWDADR44J084419
204	2007	Sterling		dump-plow truck	5000 miles	10/25/2016	55,478			none	2FZAAWDJ67AX87528
205	2012	Freightliner		dump-plow truck	5000 miles	11/11/2016	29,535				1FVAG5BS4DHFA4556
206	2012	Freightliner		dump-plow truck	5000 miles	10/31/2016	29,209			OY4905	1FVAG5BS6DHFA4557
207	2016	2016 Mack GU712 Dump Plow Truck		dump-plow truck						OY4904	1M2AX01C2GM002470
208	2011	Ford 1/2 ton pickup	blue	1/2 ton pickup		10/19/2016	30,957				1FTNF1CF2BKD97969
209											
214											
215	2008	Dodge / 1 ton dump 4x4		1 ton dump	5000 miles	6-22-16\	35,882			OY4903	3D6WH46D88G214403
216											
210	2009	Chevy / Superintendent		1/2 ton pickup	5000 miles	6/13/2016	115,299				1GCEK14C89Z121510
211	1996	Ford 450 / Bucket truck		bucket truck	5,000 miles	7/29/2016	103,804				1FDLF47F3TEB76203
212	2006	Ford / 3/4 ton 4x4 Foreman		F350 pickup	5000 miles	6/17/2016	73,840			OY8865	1FTWF31596ED48573
220	2008	Chevy 1/2 ton Landscape	black	silverado pickup	5000 miles	10/11/2016	43,010				1GCEC14X98Z142896
230											
HEAVY EQUIPMENT - 250.											
262-D	2016	CATERPILAR SKID STEER		skid steer							CAT0262DADTB05308
262-E	2016	BUCKET FOR 2016 SKID STEER		attachment							65SSGP128303
262-F	2016	PICKUP BROOM FOR 2016 SKID STEER		attachment							FX800574
262-G	2016	MILL FOR 2016 SKID STEER		attachment							PCT01019
300	2012	Case		backhoe	250 hrs	10/24/2016	1,262			N/A	JJGN58SNL0553124
301	2013	Case		loader	250 hrs	1/26/2015	1,024			N/A	NDF216669
302	2001	Case		skid steer	250 hrs	8/22/2016	1,084			N/A	JAF0333794
303	2002	Hudson		12 ton trailer	0	3/15/2012	0			N/A	N/A
304	1979	Ford		445 tractor	150 hrs	6/13/2016	2,278			N/A	9F12A
305	2009	Case		CX50 Excavator	250 hrs	6/17/2016	2370				N8TN82339
SERVICE VEH & EQUIP				WEEK ENDING12/27/16							
						Service at 4000 MILES- Synth Oil					

UNIT #	YEAR	MAKE		DESCRIPTION	SCHEDULE	SERVICE DAT	MILES/HRS.			PLATE #	SERIAL #
PAVING EQUIPMENT - 250.											
400	1980's	Power		paver	40 hrs	3/23/2012	999			N/A	PBP90K4204
401	1980's	Hypac		c350c roller	80 hrs	6/12/2014	8379			N/A	N/A
402	1998	Bomag		roller	80 hrs	6/12/2014	1552			N/A	1011705115.82
403	old			tar machine	40 hrs	XXXXXXXXXX	XXXXXXXX			N/A	N/A
404	2002			tac machine	40 hrs	9/26/2011	XXXXXXXX			N/A	1B9D509122D309303
405	2000			cracksealer	40 hrs	4/13/2013	676			N/A	1C9EK0915Y1418209
406		Cronkhite		roller trailer	XXXXXXXX	9/3/2014	635			N/A	473342125V1101256
407	2015			hot box	XXXXXXXX	XXXXXXXX	XXXXXXXX				
LANDSCAPE EQUIPMENT - 250.											
500	1985	Ford		6610 tractor mower	80 hrs	5/16/2016	6490			N/A	N/A
501	2001	Ford		arm mower	80 hrs	5/20/2016	1731			N/A	N/A
502	2002			hydroseeder	40 hrs	6/15/2013	1530			N/A	N/A
503	2002	Scag (small)		mower	40 hrs	4/24/2014	1739			N/A	3981637
504		Scag (big)		zero	40 hrs	6/17/2016	1635			N/A	N/A
505	2002	Circle A		trailer (hydroseeder)		6/10/2013	XXXXXXXX			N/A	1C9EA10142K674204
506	2011	X-Mark		mower	50 hrs	7/25/2016	2038				954464
507	old	Tilt Trailer		mower tilt trailer		8/6/2012					
508	2015	EXMARK METRO MOWER			50	5/11/2016	91				FS481VB58009
SEWER EQUIPMENT - 610.											
SO1	2002	International		vac truck	3,000 mls.	3/31/2016	60,916				1HTGMADR32H531671
SO2	2015	Ford F350 Utility Truck		utility truck		7/1/2016	6,845				1FD8X3H65FEB81922
SO3	1996			push camera			XXXXXXXX				
SO4	2008			push camera			XXXXXXXX				
SO5				rod machine							
SO6											

2016
SERVICE VEHICLE EXPENSE REPORTS

Service and Expense Summary

[220] 2008 Chevy Silverado Pickup 1GCEC14X98Z142896

Date	Odometer	Description	Notes	Cost
2/9/2016	41,043.0	EQUIPMENT INSPECTION	COMPLETE DETAIL.IN AND OUT THIS TRUCK IS PERFECT,APX 20 HR OF LBR.I ALSO REPLACED DRIVERS SEAT BOTTOM AND PAD.	$0.00
2/9/2016	41,043.0	INSTALL SNOW TIRES	INSTALLED 4 NEW TIRES	$756.00
4/27/2016	41,590.0	Check lights and turn signals	REPLACED BROKEN RIGHT REAR TAIL LAMP ASSY.	$108.69
6/17/2016	42,077.0	Change oil and filter	LOF COMPLETED	$32.34
10/11/2016	43,010.0	Change oil and filter	LOF COMPLETED.DASH STATED OIL CHANGE NOW.	$32.34
			Sub Total:	$929.37
			Grand Total:	$929.37

Service and Expense Summary

[215] 2008 Dodge 1 Ton Dump 3D6WH46D88G214403

Date	Odometer	Description	Notes	Cost
1/5/2016	33,952.0	CHECK EXAUST SYSTEM	CUST.STATES LOUD EXAUST AND CAN SMELL FUMES IN CAB.INSP.FOUND EXAUST MANAFOLDS BOLTH SIDES LEAKING DUE TO BOLTS BROKEN OUT OF CYL.HEAD.I TRIED AND FAILED TO REMOVE MANAFOLDS FROM HEADS.I HAD TO REMOVE CYL.HEADS,THEN I WAS ABLE TO REMOVE MANAFOLDS DRILL & TAP BROKEN BOLTS.I WAS ABLE TO SAVE CYL.HEADS..REPLACED MANAFOLDS,GASKETS,SHELIDS,NUT,BOLTS,THERMO STATE,OIL,ANTIFREZZE,I ALSO REPLACED TRANS LINES AND OIL PAN WHILE I HAD ENG APART.	$1571.30
1/12/2016	33,987.0	ELECTRIC ISSUE	LEFT WING OF PLOW WILL NOT MOVE.I REPLACED COIL AND VALVE NOW IT WORKS.ALSO FOUND MOTOR AFTER USE WAS SMOKING.FOUND PWR WIRE STUD LOOSE.I HAD TO REPLACE MOTOR.	$276.96
2/2/2016	34,134.0	CHECK ENGING LIGHT ON	CHECK ENG LIGHT ON TRANS WILL NOT SHIFTSENT TO POWER LINE.DISSASEMBLE TRANS INPUT CLUTCHES BURNED.COMPLETE REBUILD OF TRANS WAS DONE ALSO ADDED ANOTHER COOLER WITH FAN.	$4612.70
3/14/2016	34,613.0	Check tire inflation and condition	REPAIRED LEFT FRONT TIRE.ADDED 1 QRT OF ENG.OIL ,1/2 GALLON ANTIFREEZE,1 GALLON WASHER SOLVENT	$0.00
3/16/2016	34,665.0	Check brake fluid	RED BRAKE LIGHT WOULD COME ON RANDOMLY,CODE STORED FOR FLUID LEVEL ISSUE.I REPLACED BRAKE FLUID LEVEL SWITCH	$66.15
6/22/2016	35,882.0	Check brakes	DURING ROAD TEST I HERD A NOISE LEFT REAR INSP FOUND CALP.BOLTS BROKEN OFF IN CARRIER/ADAPTER.I REPLACED IT AND INSTALLED NEW BOLTS	$81.00
6/22/2016	35,882.0	Change oil and filter	LOF COMPLETED	$48.67
			Sub Total:	$6656.78
			Grand Total:	$6656.78

Service and Expense Summary

[211] 1996 Ford 450 Bucket Truck 1FDLF47F3TEB76203

Date	Odometer	Description	Notes	Cost
7/29/2016	103,804.0	Change oil and filter	LAST LOF WAS IN MARCH I FORGOT TO ENTER INFO.ALSO REPLACED WIND SHEILD AND BUILT AND INSTALLED LADDER RACK OVER CAB TO PROTECT GLASS.LOF COMPLETED	$506.98
			Sub Total:	$506.98
			Grand Total:	$506.98

Service and Expense Summary

[210] 2009 Chevy 1/2 Ton Pick Up (Tan) 1GCEK14C89Z121510

Date	Odometer	Description	Notes	Cost
3/9/2016	112,941.0	CHECK ENGING LIGHT ON	P446 LARGE LEAK EVAP.I REPLACED EVAP VENT VALVE.CLEARED CODE AND ROAD TEST OK NOW	$74.38
6/13/2016	115,299.0	Change oil and filter	LOF COMPLETED	$37.83
6/13/2016	115,299.0	EQUIPMENT INSPECTION	REMOVED OEM TRUCK BED,BUMPER,REPLACED FUEL PUMP & RING.PAINTED AND INSTALLED WORK TRUCK BODY,WIRED IN NEW LED,SAFTEY FLASHING LIGHTS.SENT TO FASTLANE FOR SPRAY IN BEDLINNER,ALSO SENT TO CLEVELAND SPRING FOR A HELPER SPRING.	$5600.00
6/13/2016	115,299.0	Rotate tires	ROTATE COMPLETED	$0.00
8/12/2016	116,607.0	ELECTRIC ISSUE	INTERMINET STARTER CLICKING/NO CRANK.I WARR.NAPA STARTER APX 3 MONTHS AGO.STILL DOING SAME THING I THINK ITS A STARTER ISSUE I REPLACED STARTER WITH A DELCO UNIT	$183.26
			Sub Total:	$5895.47
			Grand Total:	$5895.47

Service and Expense Summary

[208] 2011 Ford F150 Pickup (Blue) 1FTNF1CF2BKD97969

Date	Odometer	Description	Notes	Cost
4/1/2016	28,817.0	Check brakes	INBOARD ROTOR VERY RUSTY.REPLACED FRONT PADS AND ROTORS,GRIND AND GREASE SLIDES	$266.39
4/1/2016	28,817.0	INSTALL SUMMER TIRES	INSTALLED 4 NEW TIRES	$560.00
4/1/2016	28,817.0	Change oil and filter	LOF COMPLETED	$49.34
4/1/2016	28,817.0	ELECTRIC ISSUE	TRUCK WILL NOT START.PWR.TO EVERY THING.SENT TO DEALER,FOUND BAD BCM.REPLACE AND PROGRAM BCM,ALSO ADDED NEW KEY AND BOUGHT NEW KICK PANELS.	$1191.02
10/19/2016	30,957.0	Change oil and filter	LOF COMPLETED (TIME)	$49.19
			Sub Total:	$2115.94
			Grand Total:	$2115.94

Service and Expense Summary

[206] 2012 Freightliner Dump Plow Truck 1FVAG5BS6DHFA4557

Date	Odometer	Description	Notes	Cost
1/19/2016	24,945.0	Check coolant (antifreeze)	LOW COOLENT FOUND AND REPAIRED LEAK FILLED SYSTEM LETS SEE WHAT HAPPENS.	$0.00
1/19/2016	24,945.0	EQUIPMENT INSPECTION	NOISE IN DRIVE LINE FOR A WEEK NOW.WE WAITED A WHILE TO FIGURE OUT WERE THE NOISE WAS COMMING FROM.WELL I FOUND IT IT WAS THE DRIVE SHAFT CENTER CARRIER BEARING.I REPLACED, I WAS ABLE TO SAVE THE UJOINTS.	$42.70
2/25/2016	25,999.0	EQUIPMENT INSPECTION	REPLACED REAR AUGER BEARING.ON SALT SPREADER	$25.00
5/5/2016	26,637.0	Change oil and filter	LOF COMPLETED.2587 HR	$97.33
5/5/2016	26,637.0	EQUIPMENT INSPECTION	REPLACED FRONT AND REAR BRAKE PADS AND DRUMS,WATER PUMP,RIGHT FRONT FENDER & REAR,1 EXAUST CLAMP	$2000.00
10/31/2016	29,209.0	Change oil and filter	LOF COMPLETED.REPLACED TRANS COOLER LINES AND FITTINGS,ADJUSTED BRAKES,CLEANED AND SPRAYED UNDER COATING ON CHASSIS,REPAIRED LIGHTS AND REPLACED 2 REAR STROBES,ALSO REPLACED TRANS LINES & FITTINGS	$105.00
10/31/2016	29,209.0	REPLACE FUEL FILTER	REPLACED BOLTH FUEL FILTERS.MAINT.	$53.25
10/31/2016	29,209.0	CABIN AIR FILTER	REPLACED CABIN AIR FILTER	$15.84
10/31/2016	29,209.0	Replace Hydro Filter	REPLACED HYDRO FILTER AND OIL.	$189.60
10/31/2016	29,209.0	REPLACE WIPER BLADES	REPLACED WIPER BLADES	$20.00
11/7/2016	29,209.0	INSTALL SUMMER TIRES	INSTALLED 2 NEW FRONT TIRES.	$600.00
11/25/2016	29,517.0	Check Air Pressure	APPLYING BRAKE HAS VERY LARGE AIR LEAK.FOUND LEFT REAR BRAKE CHAMBER LEAKING REPLACED BOLTH BRAKE CHAMBER ASSY.ALSO LEFT REAR INNER AXLE SEAL.POWER LINE HELPED ME WITH SEAL.	$187.08
			Sub Total:	$3335.80
			Grand Total:	$3335.80

Service and Expense Summary

[205] 2012 Freightliner Dump Plow Truck 1FVAG5BS4DHFA4556

Date	Odometer	Description	Notes	Cost
1/19/2016	23,831.0	Check coolant (antifreeze)	COOLENT LEAK REPAIRED (CLAMPS ROTTEN)FILLED SYSTEM LETS SEE WHAT HAPPENS.	$0.00
1/20/2016	24,088.0	Check coolant (antifreeze)	NOW THAT TRK.HAS BEEN CLEANED AND DRY I FOUND THAT THE WATER PUMP IS LEAKING SO I REPLACED WATER PUMP.	$153.70
2/17/2016	24,845.0	CUTTING EDGE REPLACEMENT	REPLACED CUTTING EDGE.CENTER WORN.INSTALLED CENTER BLOCK AND CHANGED PLOW ANGLE	$1152.14
5/5/2016	25,302.0	EQUIPMENT INSPECTION	BIG LIST OF PARTS.2515HR,REPLACED FRONT AND REAR BRAKE SHOES AND DRUMS,REAR TAIL LAMPS AND CONN.LEFT FRONT HUB CAP,AIR TANK AND DRYER ASSY.RIGHT FRONT AND REAR FENDERS.	$2000.00
5/5/2016	25,302.0	Change oil and filter	LOF COMPLETED	$97.33
11/11/2016	29,535.0	Replace Hydro Filter	CHANGED HYDRO FILTER AND OIL	$224.55
11/11/2016	29,535.0	Change oil and filter	LOF COMPLETED,CLEANED AIR FILTER.,FILLED GREASE SYSTEM,GREASED DRIVE SHAFT.ALSO REPLACED TRANS LINES AND FITTINGS,LEFT LOWER STOP. LAMP.ASSY,TOPPED OFF REAR AXLE.SPRAYED UNDER COATING ON FRAME.2903 HR.,	$105.00
11/11/2016	29,535.0	REPLACE FUEL FILTER	REPLACED BOLTH FUEL FILTERS	$53.25
11/11/2016	29,535.0	INSTALL SUMMER TIRES	REPLACED FRONT TIRES	$600.00
11/11/2016	29,535.0	REPLACE WIPER BLADES	REPLACED WIPER BLADES	$20.00
			Sub Total:	$4405.97
			Grand Total:	$4405.97

Service and Expense Summary

[204] 2007 Sterling Dump Plow Truck 2FZAAWDJ67AX87528

Date	Odometer	Description	Notes	Cost
1/21/2016	54,231.0	EQUIPMENT INSPECTION	FIXED INT.LIGHT ASSY,ADJUSTED CONV.CHAIN,REINSTALLED LEFT SIDE CUTTING EDGE.	$0.00
10/25/2016	55,478.0	Change oil and filter	CHANGED OIL AND FILTER.ALSO REPLACED FUEL FILTERSCHANGED HYDRO FILTER AND OIL.REPLACED EXAUST SYSTEM.FROM MANAFOLD TO EXIT PIPE.REPAIRED LIGHTS THAT COULD BE FIXED.SOME MARKERS DO NOT WORK.ADJUSTED THROTLE PEDAL TO STOP OVER BOOST ISSUE PULLING HILLS UNDER LOAD.REPAIRED E BRAKE HANDLE BASE.DASH IS ALL BUSTED OUT.MAY REQUIRE FUTURE FAB.SPRAYED UNDER COATING ON CHASSIS,FIXED BATTERY CHARGER.REMOVED ROTTEN PULL HANDLE FROM PASSENGER SIDE BODY.	$2154.04
10/25/2016	55,478.0	Check brakes	REPLACED FRONT BRAKE SHOES AND DRUMS.DRUMS WERE VERY RUSTY	$0.00
			Sub Total:	$2154.04
			Grand Total:	$2154.04

Service and Expense Summary

[203] 2003 International Dump Plow Truck 1HTWDADR44J084419

Date	Odometer	Description	Notes	Cost
1/12/2016	70,778.0	ELECTRIC ISSUE	TRUCK STALLED ON SIDE OF ROAD,DRIVER STATED IT JUST DIED.MARK WAS ABLE TO DRIVE IT BACK TO SHOP AFTER CHARGING BATTERY ON SIDE OF THR ROAD.I TESTED CHARGING SYSTEM AND THE ALT.FAILED I REPLACED ALTR.AND VERF.NORMAL CHARGING SYSTEM VOLTAGE	$178.97
1/25/2016	71,407.0	ELECTRIC ISSUE	CRANK NO START,POWER LINE CAME OUT SCAN STATED NO PWR.TO IDM.WE FOUND BAD CONN.AT FUSE HOLDERS AT BATTERY.I REPAIRED THEM ALL OK NOW.	$190.00
2/6/2016	71,407.0	Change oil and filter	LOF COMPLETED,	$103.69
2/6/2016	71,407.0	DRIVE SHAFT	REPLACED CENTER BEARING.	$74.97
2/9/2016	71,407.0	EQUIPMENT INSPECTION	REAR AIR CYL.BLEW OUT,LEAKS AIR I DISSCONNECTED AIR LINES AND PLUGED,WELDED SALT LOCKS ON REAR TAIL GATE.	$119.90
11/25/2016	72,328.0	REPLACE WIPER BLADES	DONE	$20.00
11/25/2016	72,328.0	EQUIPMENT INSPECTION	HAD NO CONTROL OF CONV.AND SPINNERS.DISSASEMBLE VALVES AND VERF.MOVEMENT.EVERY THING IS RUNNING,(STUCK ON).I REPLACED ELEC.CONTROL VALVES.NO EVERY THING WORKS FINE.	$500.00
11/25/2016	72,328.0	Change oil and filter	LOF COMPLETED,GREASED CHASSIS,REPAIRED ALL LIGHTS,6910 HR.	$114.69
11/25/2016	72,328.0	REPLACE FUEL FILTER	REPLACED BOLTH FUEL FILTERS	$46.04
11/25/2016	72,328.0	Replace Hydro Filter	REPLACED HYDRO FILTER AND OIL	$259.50
11/25/2016	72,328.0	CHECK EXAUST SYSTEM	REPLACED MUFFLER AND PIPES TO JAKE BRAKE.	$1000.00
			Sub Total:	$2607.76
			Grand Total:	$2607.76

Service and Expense Summary

[202] 2003 International Dump Plow Truck 1HPWCAAR73J064963

Date	Odometer	Description	Notes	Cost
1/21/2016	40,475.0	EQUIPMENT INSPECTION	INSTALLED NEW TOGLE SWITCH FOR ROOF STROBE,REPAIRED INT.LIGHT ASSY.AND ADJUSTED CONV.CHAIN.	$0.00
1/25/2016	40,475.0	CHECK ENGING LIGHT ON	SCAN AND DIA.BAD INTAKE MANAFOLD PRESURE SENSOR.I REPLACED SENSOR.	$95.00
2/24/2016	41,039.0	CUTTING EDGE REPLACEMENT	INSTALLED NEW CUTTING EDGE.(RZR)ALSO CHANGED ANGLE OF PLOW ,ALSO ADDED CENTER BLOCK.I FOUND IT IN STORAGE TRAILER	$1152.14
8/31/2016	41,434.0	Check brakes	ADJUSTED FRONT BRAKES.REPLACED REAR SHOES AND DRUMS.	$307.22
8/31/2016	41,434.0	Change oil and filter	LOF COMPLETED.REPLACED ALL 4 REAR GREASE FITTINGS AND PASS.LOWER KING PIN FITTING.	$114.69
8/31/2016	41,434.0	EQUIPMENT INSPECTION	REPLACED 9 INCH ROUND MIRRORS,ALSO LEFT REAR STROBE,PINTLE HITCH AND TRAILER PLUG.((((READY FOR LEAF SEASON))))	$300.00
8/31/2016	41,434.0	REPLACE FUEL FILTER	REPLACED BOLTH FUEL FILTERTS	$39.77
8/31/2016	41,434.0	Check windshield wiper blades	REPLACED WIPER BLADES	$20.00
12/19/2016	42,474.0	ELECTRIC ISSUE	LOW VOLTAGE ON DASH.I REPLACED ALT AND SURP.BELT.	$211.56
12/19/2016	42,474.0	EQUIPMENT INSPECTION	REPLACED REAR SPINNER MOTOR	$200.00
			Sub Total:	$2440.38
			Grand Total:	$2440.38